

Point symmetries of 3D Kepler problem

Run TMF064.Package.m first!

```
Clear["Global`*"]
```

- Variables and differential equations in the form $R(x, u, \partial u, \dots) = 0$

```
(* Independent variables *)
IndepVar = {t};
(* Dependent variables *)
DepVar = {x, y, z};
(* PDE *)
V[x_, y_, z_] = v[Sqrt[x^2 + y^2 + z^2]]; (* general spherical potential*)
(* V[x_,y_,z_]=Z/Sqrt[x^2+y^2+z^2];(* Coulomb potential *) *)
(* V[x_,y_,z_]=Z/(x^2+y^2+z^2);(* Z/r^2 potential *) *)
PDEs = {m D[x[t], t, t] + D[V[x[t], y[t], z[t]], x[t]],
m D[y[t], t, t] + D[V[x[t], y[t], z[t]], y[t]],
m D[z[t], t, t] + D[V[x[t], y[t], z[t]], z[t]]}

{ x[t] v' [ \sqrt{x[t]^2 + y[t]^2 + z[t]^2} ] / \sqrt{x[t]^2 + y[t]^2 + z[t]^2} + m x''[t],
y[t] v' [ \sqrt{x[t]^2 + y[t]^2 + z[t]^2} ] / \sqrt{x[t]^2 + y[t]^2 + z[t]^2} + m y''[t],
z[t] v' [ \sqrt{x[t]^2 + y[t]^2 + z[t]^2} ] / \sqrt{x[t]^2 + y[t]^2 + z[t]^2} + m z''[t] }
```

Expression to substitute for in the infinitesimal criterion of invariance

```
subs = {D[x[t], t, t], D[y[t], t, t], D[z[t], t, t]};
sol = Solve[PDEs == 0, subs]

{ {x''[t] \rightarrow - x[t] v' [ \sqrt{x[t]^2 + y[t]^2 + z[t]^2} ] / (m \sqrt{x[t]^2 + y[t]^2 + z[t]^2}),
y''[t] \rightarrow - y[t] v' [ \sqrt{x[t]^2 + y[t]^2 + z[t]^2} ] / (m \sqrt{x[t]^2 + y[t]^2 + z[t]^2}),
z''[t] \rightarrow - z[t] v' [ \sqrt{x[t]^2 + y[t]^2 + z[t]^2} ] / (m \sqrt{x[t]^2 + y[t]^2 + z[t]^2}) } }
```

- Finding point symmetries by using a more and more specific ansatz

General ansatz

```
(* Infinitesimals for all variables *)
ξ[t] = Σ[t, x[t], y[t], z[t]];
η[x] = α[t, x[t], y[t], z[t]];
η[y] = β[t, x[t], y[t], z[t]];
η[z] = γ[t, x[t], y[t], z[t]];
(* Next expression should return zeroes
if infinitesimals give a point symmetry of PDEs *)
zero = CheckPointSymmetryOfDE[PDEs, subs, IndepVar, DepVar, ξ, η]
```

$$x[0] = x[t]$$

$$x[1] = x'[t]$$

$$x[2] = x''[t]$$

$$y[0] = y[t]$$

$$y[1] = y'[t]$$

$$y[2] = y''[t]$$

$$z[0] = z[t]$$

$$z[1] = z'[t]$$

$$z[2] = z''[t]$$

$$\left\{ - \left(\left(x[0] z[0] \gamma[t, x[0], y[0], z[0]] v'[\sqrt{x[0]^2 + y[0]^2 + z[0]^2}] \right) \right. \right.$$

$$\left. \left. \left(x[0]^2 + y[0]^2 + z[0]^2 \right)^{3/2} \right) + \right.$$

$$\left(x[0] z[0] \gamma[t, x[0], y[0], z[0]] v''[\sqrt{x[0]^2 + y[0]^2 + z[0]^2}] \right) \right\}$$

$$\left(x[0]^2 + y[0]^2 + z[0]^2 \right) + \frac{1}{\left(x[0]^2 + y[0]^2 + z[0]^2 \right)^{3/2}} x[0] y[0] \beta[t, x[0], y[0], z[0]]$$

$$\left. \left(- v'[\sqrt{x[0]^2 + y[0]^2 + z[0]^2}] + \sqrt{x[0]^2 + y[0]^2 + z[0]^2} v''[\sqrt{x[0]^2 + y[0]^2 + z[0]^2}] \right) + \right.$$

$$\frac{1}{\left(x[0]^2 + y[0]^2 + z[0]^2 \right)^{3/2}} \alpha[t, x[0], y[0], z[0]]$$

$$\left. \left((y[0]^2 + z[0]^2) v'[\sqrt{x[0]^2 + y[0]^2 + z[0]^2}] + \right. \right.$$

$$\left. \left. x[0]^2 \sqrt{x[0]^2 + y[0]^2 + z[0]^2} v''[\sqrt{x[0]^2 + y[0]^2 + z[0]^2}] \right) - \right.$$

$$\left(z[0] v'[\sqrt{x[0]^2 + y[0]^2 + z[0]^2}] \alpha^{(0,0,0,1)}[t, x[0], y[0], z[0]] \right) \right\}$$

$$\left(\sqrt{x[0]^2 + y[0]^2 + z[0]^2} \right) +$$

$$\left(x[1] z[0] v'[\sqrt{x[0]^2 + y[0]^2 + z[0]^2}] \Xi^{(0,0,0,1)}[t, x[0], y[0], z[0]] \right) \right\}$$

$$\left(\sqrt{x[0]^2 + y[0]^2 + z[0]^2} \right) +$$

$$\left(2 x[0] z[1] v'[\sqrt{x[0]^2 + y[0]^2 + z[0]^2}] \Xi^{(0,0,0,1)}[t, x[0], y[0], z[0]] \right) \right\}$$

$$\left(\sqrt{x[0]^2 + y[0]^2 + z[0]^2} \right) + m z[1]^2 \alpha^{(0,0,0,2)}[t, x[0], y[0], z[0]] -$$

$$m x[1] z[1]^2 \Xi^{(0,0,0,2)}[t, x[0], y[0], z[0]] -$$

$$\begin{aligned}
& \left(y[0] v' \left[\sqrt{x[0]^2 + y[0]^2 + z[0]^2} \right] \alpha^{(0,0,1,0)} [t, x[0], y[0], z[0]] \right) / \\
& \quad \left(\sqrt{x[0]^2 + y[0]^2 + z[0]^2} \right) + \\
& \left(x[1] y[0] v' \left[\sqrt{x[0]^2 + y[0]^2 + z[0]^2} \right] \Xi^{(0,0,1,0)} [t, x[0], y[0], z[0]] \right) / \\
& \quad \left(\sqrt{x[0]^2 + y[0]^2 + z[0]^2} \right) + \\
& \left(2 x[0] y[1] v' \left[\sqrt{x[0]^2 + y[0]^2 + z[0]^2} \right] \Xi^{(0,0,1,0)} [t, x[0], y[0], z[0]] \right) / \\
& \quad \left(\sqrt{x[0]^2 + y[0]^2 + z[0]^2} \right) + 2 m y[1] z[1] \alpha^{(0,0,1,1)} [t, x[0], y[0], z[0]] - \\
& 2 m x[1] y[1] z[1] \Xi^{(0,0,1,1)} [t, x[0], y[0], z[0]] + \\
& m y[1]^2 \alpha^{(0,0,2,0)} [t, x[0], y[0], z[0]] - \\
& m x[1] y[1]^2 \Xi^{(0,0,2,0)} [t, x[0], y[0], z[0]] - \\
& \left(x[0] v' \left[\sqrt{x[0]^2 + y[0]^2 + z[0]^2} \right] \alpha^{(0,1,0,0)} [t, x[0], y[0], z[0]] \right) / \\
& \quad \left(\sqrt{x[0]^2 + y[0]^2 + z[0]^2} \right) + \\
& \left(3 x[0] x[1] v' \left[\sqrt{x[0]^2 + y[0]^2 + z[0]^2} \right] \Xi^{(0,1,0,0)} [t, x[0], y[0], z[0]] \right) / \\
& \quad \left(\sqrt{x[0]^2 + y[0]^2 + z[0]^2} \right) + 2 m x[1] z[1] \alpha^{(0,1,0,1)} [t, x[0], y[0], z[0]] - \\
& 2 m x[1]^2 z[1] \Xi^{(0,1,0,1)} [t, x[0], y[0], z[0]] + \\
& 2 m x[1] y[1] \alpha^{(0,1,1,0)} [t, x[0], y[0], z[0]] - \\
& 2 m x[1]^2 y[1] \Xi^{(0,1,1,0)} [t, x[0], y[0], z[0]] + \\
& m x[1]^2 \alpha^{(0,2,0,0)} [t, x[0], y[0], z[0]] - m x[1]^3 \Xi^{(0,2,0,0)} [t, x[0], y[0], z[0]] + \\
& \left(2 x[0] v' \left[\sqrt{x[0]^2 + y[0]^2 + z[0]^2} \right] \Xi^{(1,0,0,0)} [t, x[0], y[0], z[0]] \right) / \\
& \quad \left(\sqrt{x[0]^2 + y[0]^2 + z[0]^2} \right) + 2 m z[1] \alpha^{(1,0,0,1)} [t, x[0], y[0], z[0]] - \\
& 2 m x[1] z[1] \Xi^{(1,0,0,1)} [t, x[0], y[0], z[0]] + 2 m y[1] \alpha^{(1,0,1,0)} [t, x[0], y[0], z[0]] - \\
& 2 m x[1] y[1] \Xi^{(1,0,1,0)} [t, x[0], y[0], z[0]] + \\
& 2 m x[1] \alpha^{(1,1,0,0)} [t, x[0], y[0], z[0]] - 2 m x[1]^2 \Xi^{(1,1,0,0)} [t, x[0], y[0], z[0]] + \\
& m \alpha^{(2,0,0,0)} [t, x[0], y[0], z[0]] - m x[1] \Xi^{(2,0,0,0)} [t, x[0], y[0], z[0]], \\
& - \left(\left(y[0] z[0] \gamma[t, x[0], y[0], z[0]] v' \left[\sqrt{x[0]^2 + y[0]^2 + z[0]^2} \right] \right) / \right. \\
& \quad \left. \left(x[0]^2 + y[0]^2 + z[0]^2 \right)^{3/2} \right) + \\
& \left(y[0] z[0] \gamma[t, x[0], y[0], z[0]] v'' \left[\sqrt{x[0]^2 + y[0]^2 + z[0]^2} \right] \right) / \\
& \quad \left(x[0]^2 + y[0]^2 + z[0]^2 \right) + \frac{1}{\left(x[0]^2 + y[0]^2 + z[0]^2 \right)^{3/2}} x[0] y[0] \alpha[t, x[0], y[0], z[0]] \\
& \quad \left(-v' \left[\sqrt{x[0]^2 + y[0]^2 + z[0]^2} \right] + \sqrt{x[0]^2 + y[0]^2 + z[0]^2} v'' \left[\sqrt{x[0]^2 + y[0]^2 + z[0]^2} \right] \right) + \\
& \quad \frac{1}{\left(x[0]^2 + y[0]^2 + z[0]^2 \right)^{3/2}} \beta[t, x[0], y[0], z[0]] \\
& \quad \left(\left(x[0]^2 + z[0]^2 \right) v' \left[\sqrt{x[0]^2 + y[0]^2 + z[0]^2} \right] + \right. \\
& \quad \left. y[0]^2 \sqrt{x[0]^2 + y[0]^2 + z[0]^2} v'' \left[\sqrt{x[0]^2 + y[0]^2 + z[0]^2} \right] \right) -
\end{aligned}$$

$$\begin{aligned}
& \left(z[0] v' \left[\sqrt{x[0]^2 + y[0]^2 + z[0]^2} \right] \beta^{(0,0,0,1)} [t, x[0], y[0], z[0]] \right) / \\
& \quad \left(\sqrt{x[0]^2 + y[0]^2 + z[0]^2} \right) + \\
& \left(y[1] z[0] v' \left[\sqrt{x[0]^2 + y[0]^2 + z[0]^2} \right] \Xi^{(0,0,0,1)} [t, x[0], y[0], z[0]] \right) / \\
& \quad \left(\sqrt{x[0]^2 + y[0]^2 + z[0]^2} \right) + \\
& \left(2 y[0] z[1] v' \left[\sqrt{x[0]^2 + y[0]^2 + z[0]^2} \right] \Xi^{(0,0,0,1)} [t, x[0], y[0], z[0]] \right) / \\
& \quad \left(\sqrt{x[0]^2 + y[0]^2 + z[0]^2} \right) + m z[1]^2 \beta^{(0,0,0,2)} [t, x[0], y[0], z[0]] - \\
& m y[1] z[1]^2 \Xi^{(0,0,0,2)} [t, x[0], y[0], z[0]] - \\
& \left(y[0] v' \left[\sqrt{x[0]^2 + y[0]^2 + z[0]^2} \right] \beta^{(0,0,1,0)} [t, x[0], y[0], z[0]] \right) / \\
& \quad \left(\sqrt{x[0]^2 + y[0]^2 + z[0]^2} \right) + \\
& \left(3 y[0] y[1] v' \left[\sqrt{x[0]^2 + y[0]^2 + z[0]^2} \right] \Xi^{(0,0,1,0)} [t, x[0], y[0], z[0]] \right) / \\
& \quad \left(\sqrt{x[0]^2 + y[0]^2 + z[0]^2} \right) + 2 m y[1] z[1] \beta^{(0,0,1,1)} [t, x[0], y[0], z[0]] - \\
& 2 m y[1]^2 z[1] \Xi^{(0,0,1,1)} [t, x[0], y[0], z[0]] + m y[1]^2 \beta^{(0,0,2,0)} [t, x[0], y[0], z[0]] - \\
& m y[1]^3 \Xi^{(0,0,2,0)} [t, x[0], y[0], z[0]] - \\
& \left(x[0] v' \left[\sqrt{x[0]^2 + y[0]^2 + z[0]^2} \right] \beta^{(0,1,0,0)} [t, x[0], y[0], z[0]] \right) / \\
& \quad \left(\sqrt{x[0]^2 + y[0]^2 + z[0]^2} \right) + \\
& \left(2 x[1] y[0] v' \left[\sqrt{x[0]^2 + y[0]^2 + z[0]^2} \right] \Xi^{(0,1,0,0)} [t, x[0], y[0], z[0]] \right) / \\
& \quad \left(\sqrt{x[0]^2 + y[0]^2 + z[0]^2} \right) + \\
& \left(x[0] y[1] v' \left[\sqrt{x[0]^2 + y[0]^2 + z[0]^2} \right] \Xi^{(0,1,0,0)} [t, x[0], y[0], z[0]] \right) / \\
& \quad \left(\sqrt{x[0]^2 + y[0]^2 + z[0]^2} \right) + 2 m x[1] z[1] \beta^{(0,1,0,1)} [t, x[0], y[0], z[0]] - \\
& 2 m x[1] y[1] z[1] \Xi^{(0,1,0,1)} [t, x[0], y[0], z[0]] + \\
& 2 m x[1] y[1] \beta^{(0,1,1,0)} [t, x[0], y[0], z[0]] - \\
& 2 m x[1] y[1]^2 \Xi^{(0,1,1,0)} [t, x[0], y[0], z[0]] + \\
& m x[1]^2 \beta^{(0,2,0,0)} [t, x[0], y[0], z[0]] - m x[1]^2 y[1] \Xi^{(0,2,0,0)} [t, x[0], y[0], z[0]] + \\
& \left(2 y[0] v' \left[\sqrt{x[0]^2 + y[0]^2 + z[0]^2} \right] \Xi^{(1,0,0,0)} [t, x[0], y[0], z[0]] \right) / \\
& \quad \left(\sqrt{x[0]^2 + y[0]^2 + z[0]^2} \right) + 2 m z[1] \beta^{(1,0,0,1)} [t, x[0], y[0], z[0]] - \\
& 2 m y[1] z[1] \Xi^{(1,0,0,1)} [t, x[0], y[0], z[0]] + 2 m y[1] \beta^{(1,0,1,0)} [t, x[0], y[0], z[0]] - \\
& 2 m y[1]^2 \Xi^{(1,0,1,0)} [t, x[0], y[0], z[0]] + 2 m x[1] \beta^{(1,1,0,0)} [t, x[0], y[0], z[0]] - \\
& 2 m x[1] y[1] \Xi^{(1,1,0,0)} [t, x[0], y[0], z[0]] + \\
& m \beta^{(2,0,0,0)} [t, x[0], y[0], z[0]] - m y[1] \Xi^{(2,0,0,0)} [t, x[0], y[0], z[0]], \\
& - \left(\left(z[0]^2 \gamma[t, x[0], y[0], z[0]] v' \left[\sqrt{x[0]^2 + y[0]^2 + z[0]^2} \right] \right) / \right. \\
& \quad \left. \left(x[0]^2 + y[0]^2 + z[0]^2 \right)^{3/2} \right) + \\
& \left(\gamma[t, x[0], y[0], z[0]] v' \left[\sqrt{x[0]^2 + y[0]^2 + z[0]^2} \right] \right) / \left(\sqrt{x[0]^2 + y[0]^2 + z[0]^2} \right) +
\end{aligned}$$

$$\begin{aligned}
& \left(z[0]^2 \gamma[t, x[0], y[0], z[0]] v''[\sqrt{x[0]^2 + y[0]^2 + z[0]^2}] \right) / (x[0]^2 + y[0]^2 + z[0]^2) + \\
& \frac{1}{(x[0]^2 + y[0]^2 + z[0]^2)^{3/2}} x[0] z[0] \alpha[t, x[0], y[0], z[0]] \\
& \left(-v'[\sqrt{x[0]^2 + y[0]^2 + z[0]^2}] + \sqrt{x[0]^2 + y[0]^2 + z[0]^2} v''[\sqrt{x[0]^2 + y[0]^2 + z[0]^2}] \right) + \\
& \frac{1}{(x[0]^2 + y[0]^2 + z[0]^2)^{3/2}} y[0] z[0] \beta[t, x[0], y[0], z[0]] \\
& \left(-v'[\sqrt{x[0]^2 + y[0]^2 + z[0]^2}] + \sqrt{x[0]^2 + y[0]^2 + z[0]^2} v''[\sqrt{x[0]^2 + y[0]^2 + z[0]^2}] \right) - \\
& \left(z[0] v'[\sqrt{x[0]^2 + y[0]^2 + z[0]^2}] \gamma^{(0,0,0,1)}[t, x[0], y[0], z[0]] \right) / \\
& \left(\sqrt{x[0]^2 + y[0]^2 + z[0]^2} \right) + \\
& \left(3 z[0] z[1] v'[\sqrt{x[0]^2 + y[0]^2 + z[0]^2}] \Xi^{(0,0,0,1)}[t, x[0], y[0], z[0]] \right) / \\
& \left(\sqrt{x[0]^2 + y[0]^2 + z[0]^2} \right) + m z[1]^2 \gamma^{(0,0,0,2)}[t, x[0], y[0], z[0]] - \\
& m z[1]^3 \Xi^{(0,0,0,2)}[t, x[0], y[0], z[0]] - \\
& \left(y[0] v'[\sqrt{x[0]^2 + y[0]^2 + z[0]^2}] \gamma^{(0,0,1,0)}[t, x[0], y[0], z[0]] \right) / \\
& \left(\sqrt{x[0]^2 + y[0]^2 + z[0]^2} \right) + \\
& \left(2 y[1] z[0] v'[\sqrt{x[0]^2 + y[0]^2 + z[0]^2}] \Xi^{(0,0,1,0)}[t, x[0], y[0], z[0]] \right) / \\
& \left(\sqrt{x[0]^2 + y[0]^2 + z[0]^2} \right) + \\
& \left(y[0] z[1] v'[\sqrt{x[0]^2 + y[0]^2 + z[0]^2}] \Xi^{(0,0,1,0)}[t, x[0], y[0], z[0]] \right) / \\
& \left(\sqrt{x[0]^2 + y[0]^2 + z[0]^2} \right) + 2 m y[1] z[1] \gamma^{(0,0,1,1)}[t, x[0], y[0], z[0]] - \\
& 2 m y[1] z[1]^2 \Xi^{(0,0,1,1)}[t, x[0], y[0], z[0]] + m y[1]^2 \gamma^{(0,0,2,0)}[t, x[0], y[0], z[0]] - \\
& m y[1]^2 z[1] \Xi^{(0,0,2,0)}[t, x[0], y[0], z[0]] - \\
& \left(x[0] v'[\sqrt{x[0]^2 + y[0]^2 + z[0]^2}] \gamma^{(0,1,0,0)}[t, x[0], y[0], z[0]] \right) / \\
& \left(\sqrt{x[0]^2 + y[0]^2 + z[0]^2} \right) + \\
& \left(2 x[1] z[0] v'[\sqrt{x[0]^2 + y[0]^2 + z[0]^2}] \Xi^{(0,1,0,0)}[t, x[0], y[0], z[0]] \right) / \\
& \left(\sqrt{x[0]^2 + y[0]^2 + z[0]^2} \right) + \\
& \left(x[0] z[1] v'[\sqrt{x[0]^2 + y[0]^2 + z[0]^2}] \Xi^{(0,1,0,0)}[t, x[0], y[0], z[0]] \right) / \\
& \left(\sqrt{x[0]^2 + y[0]^2 + z[0]^2} \right) + 2 m x[1] z[1] \gamma^{(0,1,0,1)}[t, x[0], y[0], z[0]] - \\
& 2 m x[1] z[1]^2 \Xi^{(0,1,0,1)}[t, x[0], y[0], z[0]] + \\
& 2 m x[1] y[1] \gamma^{(0,1,1,0)}[t, x[0], y[0], z[0]] - \\
& 2 m x[1] y[1] z[1] \Xi^{(0,1,1,0)}[t, x[0], y[0], z[0]] + \\
& m x[1]^2 \gamma^{(0,2,0,0)}[t, x[0], y[0], z[0]] - m x[1]^2 z[1] \Xi^{(0,2,0,0)}[t, x[0], y[0], z[0]] + \\
& \left(2 z[0] v'[\sqrt{x[0]^2 + y[0]^2 + z[0]^2}] \Xi^{(1,0,0,0)}[t, x[0], y[0], z[0]] \right) /
\end{aligned}$$

$$\left(\sqrt{x[0]^2 + y[0]^2 + z[0]^2} \right) + 2mz[1]\gamma^{(1,0,0,1)}[t, x[0], y[0], z[0]] - \\ 2mz[1]^2\Xi^{(1,0,0,1)}[t, x[0], y[0], z[0]] + 2my[1]\gamma^{(1,0,1,0)}[t, x[0], y[0], z[0]] - \\ 2my[1]z[1]\Xi^{(1,0,1,0)}[t, x[0], y[0], z[0]] + \\ 2mx[1]\gamma^{(1,1,0,0)}[t, x[0], y[0], z[0]] - 2mx[1]z[1]\Xi^{(1,1,0,0)}[t, x[0], y[0], z[0]] + \\ m\gamma^{(2,0,0,0)}[t, x[0], y[0], z[0]] - mz[1]\Xi^{(2,0,0,0)}[t, x[0], y[0], z[0]] \}$$

```
variables = Flatten[Table[Table[var[j], {j, 1, 2}], {var, DepVar}]]
Column[GetConditionsForPointSymmetries[zero, variables]] /.
{Sqrt[x[0]^2 + y[0]^2 + z[0]^2] → r,
(x[0]^2 + y[0]^2 + z[0]^2)^3/2 → r^3, x[0]^2 + y[0]^2 + z[0]^2 → r^2}

{x[1], x[2], y[1], y[2], z[1], z[2]}
```

```
m r^3 α^(0,0,0,2)[t, x[0], y[0], z[0]]
m r^3 β^(0,0,0,2)[t, x[0], y[0], z[0]]
-m r^3 Ξ^(0,0,0,2)[t, x[0], y[0], z[0]]
2 m r^3 α^(0,0,1,1)[t, x[0], y[0], z[0]]
-2 m r^3 Ξ^(0,0,1,1)[t, x[0], y[0], z[0]]
m r^3 α^(0,0,2,0)[t, x[0], y[0], z[0]]
m r^3 γ^(0,0,2,0)[t, x[0], y[0], z[0]]
-m r^3 Ξ^(0,0,2,0)[t, x[0], y[0], z[0]]
2 m r^3 β^(0,1,0,1)[t, x[0], y[0], z[0]]
-2 m r^3 Ξ^(0,1,0,1)[t, x[0], y[0], z[0]]
2 m r^3 γ^(0,1,1,0)[t, x[0], y[0], z[0]]
-2 m r^3 Ξ^(0,1,1,0)[t, x[0], y[0], z[0]]
m r^3 β^(0,2,0,0)[t, x[0], y[0], z[0]]
m r^3 γ^(0,2,0,0)[t, x[0], y[0], z[0]]
-m r^3 Ξ^(0,2,0,0)[t, x[0], y[0], z[0]]
2 r^2 (x[0] v'[r] Ξ^(0,0,0,1)[t, x[0], y[0], z[0]] + m r α^(1,0,0,1)[t, x[0], y[0], z[0]])
2 r^2 (y[0] v'[r] Ξ^(0,0,0,1)[t, x[0], y[0], z[0]] + m r β^(1,0,0,1)[t, x[0], y[0], z[0]])
m r^3 (γ^(0,0,0,2)[t, x[0], y[0], z[0]] - 2 Ξ^(1,0,0,1)[t, x[0], y[0], z[0]])
2 m r^3 (β^(0,0,1,1)[t, x[0], y[0], z[0]] - Ξ^(1,0,0,1)[t, x[0], y[0], z[0]])
2 m r^3 (α^(0,1,0,1)[t, x[0], y[0], z[0]] - Ξ^(1,0,0,1)[t, x[0], y[0], z[0]])
2 r^2 (x[0] v'[r] Ξ^(0,0,1,0)[t, x[0], y[0], z[0]] + m r α^(1,0,1,0)[t, x[0], y[0], z[0]])
2 r^2 (z[0] v'[r] Ξ^(0,0,1,0)[t, x[0], y[0], z[0]] + m r γ^(1,0,1,0)[t, x[0], y[0], z[0]])
m r^3 (β^(0,0,2,0)[t, x[0], y[0], z[0]] - 2 Ξ^(1,0,1,0)[t, x[0], y[0], z[0]])
2 m r^3 (γ^(0,0,1,1)[t, x[0], y[0], z[0]] - Ξ^(1,0,1,0)[t, x[0], y[0], z[0]])
2 m r^3 (α^(0,1,1,0)[t, x[0], y[0], z[0]] - Ξ^(1,0,1,0)[t, x[0], y[0], z[0]])
2 r^2 (y[0] v'[r] Ξ^(0,1,0,0)[t, x[0], y[0], z[0]] + m r β^(1,1,0,0)[t, x[0], y[0], z[0]])
2 r^2 (z[0] v'[r] Ξ^(0,1,0,0)[t, x[0], y[0], z[0]] + m r γ^(1,1,0,0)[t, x[0], y[0], z[0]])
m r^3 (α^(0,2,0,0)[t, x[0], y[0], z[0]] - 2 Ξ^(1,1,0,0)[t, x[0], y[0], z[0]])
2 m r^3 (γ^(0,1,0,1)[t, x[0], y[0], z[0]] - Ξ^(1,1,0,0)[t, x[0], y[0], z[0]])
2 m r^3 (β^(0,1,1,0)[t, x[0], y[0], z[0]] - Ξ^(1,1,0,0)[t, x[0], y[0], z[0]])
```

$$\begin{aligned}
& y[0]^2 \alpha[t, x[0], y[0], z[0]] v'[r] + \\
& z[0]^2 \alpha[t, x[0], y[0], z[0]] v'[r] - x[0] y[0] \beta[t, x[0], y[0], z[0]] v'[r] - \\
& x[0] z[0] \gamma[t, x[0], y[0], z[0]] v'[r] + r x[0]^2 \alpha[t, x[0], y[0], z[0]] v''[r] + \\
& r x[0] y[0] \beta[t, x[0], y[0], z[0]] v''[r] + r x[0] z[0] \gamma[t, x[0], y[0], z[0]] v''[r] - \\
& x[0]^2 z[0] v'[r] \alpha^{(0,0,0,1)}[t, x[0], y[0], z[0]] - \\
& y[0]^2 z[0] v'[r] \alpha^{(0,0,0,1)}[t, x[0], y[0], z[0]] - \\
& z[0]^3 v'[r] \alpha^{(0,0,0,1)}[t, x[0], y[0], z[0]] - \\
& x[0]^2 y[0] v'[r] \alpha^{(0,0,1,0)}[t, x[0], y[0], z[0]] - \\
& y[0]^3 v'[r] \alpha^{(0,0,1,0)}[t, x[0], y[0], z[0]] - \\
& y[0] z[0]^2 v'[r] \alpha^{(0,0,1,0)}[t, x[0], y[0], z[0]] - \\
& x[0]^3 v'[r] \alpha^{(0,1,0,0)}[t, x[0], y[0], z[0]] - \\
& x[0] y[0]^2 v'[r] \alpha^{(0,1,0,0)}[t, x[0], y[0], z[0]] - \\
& x[0] z[0]^2 v'[r] \alpha^{(0,1,0,0)}[t, x[0], y[0], z[0]] + \\
& 2 x[0]^3 v'[r] \Xi^{(1,0,0,0)}[t, x[0], y[0], z[0]] + \\
& 2 x[0] y[0]^2 v'[r] \Xi^{(1,0,0,0)}[t, x[0], y[0], z[0]] + \\
& 2 x[0] z[0]^2 v'[r] \Xi^{(1,0,0,0)}[t, x[0], y[0], z[0]] + \\
& m r x[0]^2 \alpha^{(2,0,0,0)}[t, x[0], y[0], z[0]] + \\
& m r y[0]^2 \alpha^{(2,0,0,0)}[t, x[0], y[0], z[0]] + m r z[0]^2 \alpha^{(2,0,0,0)}[t, x[0], y[0], z[0]] \\
& - x[0] y[0] \alpha[t, x[0], y[0], z[0]] v'[r] + \\
& x[0]^2 \beta[t, x[0], y[0], z[0]] v'[r] + z[0]^2 \beta[t, x[0], y[0], z[0]] v'[r] - \\
& y[0] z[0] \gamma[t, x[0], y[0], z[0]] v'[r] + r x[0] y[0] \alpha[t, x[0], y[0], z[0]] v''[r] + \\
& r y[0]^2 \beta[t, x[0], y[0], z[0]] v''[r] + r y[0] z[0] \gamma[t, x[0], y[0], z[0]] v''[r] - \\
& x[0]^2 z[0] v'[r] \beta^{(0,0,0,1)}[t, x[0], y[0], z[0]] - \\
& y[0]^2 z[0] v'[r] \beta^{(0,0,0,1)}[t, x[0], y[0], z[0]] - \\
& z[0]^3 v'[r] \beta^{(0,0,0,1)}[t, x[0], y[0], z[0]] - \\
& x[0]^2 y[0] v'[r] \beta^{(0,0,1,0)}[t, x[0], y[0], z[0]] - \\
& y[0]^3 v'[r] \beta^{(0,0,1,0)}[t, x[0], y[0], z[0]] - \\
& y[0] z[0]^2 v'[r] \beta^{(0,0,1,0)}[t, x[0], y[0], z[0]] - \\
& x[0]^3 v'[r] \beta^{(0,1,0,0)}[t, x[0], y[0], z[0]] - \\
& x[0] y[0]^2 v'[r] \beta^{(0,1,0,0)}[t, x[0], y[0], z[0]] - \\
& x[0] z[0]^2 v'[r] \beta^{(0,1,0,0)}[t, x[0], y[0], z[0]] + \\
& 2 x[0]^2 y[0] v'[r] \Xi^{(1,0,0,0)}[t, x[0], y[0], z[0]] + \\
& 2 y[0]^3 v'[r] \Xi^{(1,0,0,0)}[t, x[0], y[0], z[0]] + \\
& 2 y[0] z[0]^2 v'[r] \Xi^{(1,0,0,0)}[t, x[0], y[0], z[0]] + \\
& m r x[0]^2 \beta^{(2,0,0,0)}[t, x[0], y[0], z[0]] + \\
& m r y[0]^2 \beta^{(2,0,0,0)}[t, x[0], y[0], z[0]] + m r z[0]^2 \beta^{(2,0,0,0)}[t, x[0], y[0], z[0]] \\
& - x[0] z[0] \alpha[t, x[0], y[0], z[0]] v'[r] - y[0] z[0] \beta[t, x[0], y[0], z[0]] v'[r] + \\
& x[0]^2 \gamma[t, x[0], y[0], z[0]] v'[r] + y[0]^2 \gamma[t, x[0], y[0], z[0]] v'[r] + \\
& r x[0] z[0] \alpha[t, x[0], y[0], z[0]] v''[r] + r y[0] z[0] \beta[t, x[0], y[0], z[0]] v''[r] + \\
& r z[0]^2 \gamma[t, x[0], y[0], z[0]] v''[r] - x[0]^2 z[0] v'[r] \gamma^{(0,0,0,1)}[t, x[0], y[0], z[0]] - \\
& y[0]^2 z[0] v'[r] \gamma^{(0,0,0,1)}[t, x[0], y[0], z[0]] - \\
& z[0]^3 v'[r] \gamma^{(0,0,0,1)}[t, x[0], y[0], z[0]] - \\
& x[0]^2 y[0] v'[r] \gamma^{(0,0,1,0)}[t, x[0], y[0], z[0]] - \\
& y[0]^3 v'[r] \gamma^{(0,0,1,0)}[t, x[0], y[0], z[0]] - \\
& y[0] z[0]^2 v'[r] \gamma^{(0,0,1,0)}[t, x[0], y[0], z[0]] - \\
& x[0]^3 v'[r] \gamma^{(0,1,0,0)}[t, x[0], y[0], z[0]] - \\
& x[0] y[0]^2 v'[r] \gamma^{(0,1,0,0)}[t, x[0], y[0], z[0]] - \\
& x[0] z[0]^2 v'[r] \gamma^{(0,1,0,0)}[t, x[0], y[0], z[0]] + \\
& 2 x[0]^2 z[0] v'[r] \Xi^{(1,0,0,0)}[t, x[0], y[0], z[0]] + \\
& 2 y[0]^2 z[0] v'[r] \Xi^{(1,0,0,0)}[t, x[0], y[0], z[0]] + \\
& 2 z[0]^3 v'[r] \Xi^{(1,0,0,0)}[t, x[0], y[0], z[0]] + m r x[0]^2 \gamma^{(2,0,0,0)}[t, x[0], y[0], z[0]] + \\
& m r y[0]^2 \gamma^{(2,0,0,0)}[t, x[0], y[0], z[0]] + m r z[0]^2 \gamma^{(2,0,0,0)}[t, x[0], y[0], z[0]] \\
& r^2 (3 z[0] v'[r] \Xi^{(0,0,0,1)}[t, x[0], y[0], z[0]] + \\
& y[0] v'[r] \Xi^{(0,0,1,0)}[t, x[0], y[0], z[0]] + x[0] v'[r] \Xi^{(0,1,0,0)}[t, x[0], y[0], z[0]] + \\
& 2 m r \gamma^{(1,0,0,1)}[t, x[0], y[0], z[0]] - m r \Xi^{(2,0,0,0)}[t, x[0], y[0], z[0]])
\end{aligned}$$

$$\begin{aligned}
& r^2 (z[0] v'[r] \Xi^{(0,0,0,1)} [t, x[0], y[0], z[0]] + \\
& 3y[0] v'[r] \Xi^{(0,0,1,0)} [t, x[0], y[0], z[0]] + x[0] v'[r] \Xi^{(0,1,0,0)} [t, x[0], y[0], z[0]] + \\
& 2mr\beta^{(1,0,1,0)} [t, x[0], y[0], z[0]] - mr\Xi^{(2,0,0,0)} [t, x[0], y[0], z[0]]) \\
& r^2 (z[0] v'[r] \Xi^{(0,0,0,1)} [t, x[0], y[0], z[0]] + \\
& y[0] v'[r] \Xi^{(0,0,1,0)} [t, x[0], y[0], z[0]] + 3x[0] v'[r] \Xi^{(0,1,0,0)} [t, x[0], y[0], z[0]] + \\
& 2mr\alpha^{(1,1,0,0)} [t, x[0], y[0], z[0]] - mr\Xi^{(2,0,0,0)} [t, x[0], y[0], z[0]])
\end{aligned}$$

Second ansatz

$$\begin{aligned}
\xi[t] &= \delta x[t] x[t] + \delta y[t] y[t] + \delta z[t] z[t] + \delta \theta[t]; \\
\eta[x] &= \alpha y[t, x[t]] y[t] + \alpha z[t, x[t]] z[t] + \alpha \theta[t, x[t]]; \\
\eta[y] &= \beta x[t, y[t]] x[t] + \beta z[t, y[t]] z[t] + \beta \theta[t, y[t]]; \\
\eta[z] &= \gamma x[t, z[t]] x[t] + \gamma y[t, z[t]] y[t] + \gamma \theta[t, z[t]]; \\
\text{zero} &= \text{CheckPointSymmetryOfDE[PDEs, subs, IndepVar, DepVar, } \xi, \eta]
\end{aligned}$$

$$x[0] = x[t]$$

$$x[1] = x'[t]$$

$$x[2] = x''[t]$$

$$y[0] = y[t]$$

$$y[1] = y'[t]$$

$$y[2] = y''[t]$$

$$z[0] = z[t]$$

$$z[1] = z'[t]$$

$$z[2] = z''[t]$$

$$\begin{aligned}
& \left\{ - \left(\left(y[0] \alpha y[t, x[0]] v' \left[\sqrt{x[0]^2 + y[0]^2 + z[0]^2} \right] \right) / \left(\sqrt{x[0]^2 + y[0]^2 + z[0]^2} \right) - \right. \\
& \left. \left(z[0] \alpha z[t, x[0]] v' \left[\sqrt{x[0]^2 + y[0]^2 + z[0]^2} \right] \right) / \left(\sqrt{x[0]^2 + y[0]^2 + z[0]^2} \right) + \right. \\
& \frac{1}{\sqrt{x[0]^2 + y[0]^2 + z[0]^2}} \\
& 2x[0] v' \left[\sqrt{x[0]^2 + y[0]^2 + z[0]^2} \right] (x[1] \delta x[t] + y[1] \delta y[t] + z[1] \delta z[t] + \\
& \delta \theta'[t] + x[0] \delta x'[t] + y[0] \delta y'[t] + z[0] \delta z'[t]) + \frac{1}{(x[0]^2 + y[0]^2 + z[0]^2)^{3/2}} \\
& x[0] y[0] (\beta \theta[t, y[0]] + x[0] \beta x[t, y[0]] + z[0] \beta z[t, y[0]]) \\
& \left. \left(-v' \left[\sqrt{x[0]^2 + y[0]^2 + z[0]^2} \right] + \sqrt{x[0]^2 + y[0]^2 + z[0]^2} v'' \left[\sqrt{x[0]^2 + y[0]^2 + z[0]^2} \right] \right) + \right. \\
& \frac{1}{(x[0]^2 + y[0]^2 + z[0]^2)^{3/2}} x[0] z[0] \\
& (\gamma \theta[t, z[0]] + x[0] \gamma x[t, z[0]] + y[0] \gamma y[t, z[0]]) \\
& \left. \left(-v' \left[\sqrt{x[0]^2 + y[0]^2 + z[0]^2} \right] + \sqrt{x[0]^2 + y[0]^2 + z[0]^2} v'' \left[\sqrt{x[0]^2 + y[0]^2 + z[0]^2} \right] \right) + \right. \\
& \frac{1}{(x[0]^2 + y[0]^2 + z[0]^2)^{3/2}} (\alpha \theta[t, x[0]] + y[0] \alpha y[t, x[0]] + z[0] \alpha z[t, x[0]]) \\
& \left. \left((y[0]^2 + z[0]^2) v' \left[\sqrt{x[0]^2 + y[0]^2 + z[0]^2} \right] + \right. \right.
\end{aligned}$$

$$\begin{aligned}
& x[0]^2 \sqrt{x[0]^2 + y[0]^2 + z[0]^2} v''[\sqrt{x[0]^2 + y[0]^2 + z[0]^2}] \Big) + \\
& x[1] \left(\left(x[0] \delta x[t] v'[\sqrt{x[0]^2 + y[0]^2 + z[0]^2}] \right) / \left(\sqrt{x[0]^2 + y[0]^2 + z[0]^2} \right) + \right. \\
& \left(y[0] \delta y[t] v'[\sqrt{x[0]^2 + y[0]^2 + z[0]^2}] \right) / \left(\sqrt{x[0]^2 + y[0]^2 + z[0]^2} \right) + \\
& \left(z[0] \delta z[t] v'[\sqrt{x[0]^2 + y[0]^2 + z[0]^2}] \right) / \left(\sqrt{x[0]^2 + y[0]^2 + z[0]^2} \right) - \\
& 2m x[1] \delta x'[t] - 2m y[1] \delta y'[t] - 2m z[1] \delta z'[t] - \\
& m \delta \theta''[t] - m x[0] \delta x''[t] - m y[0] \delta y''[t] - m z[0] \delta z''[t] \Big) - \\
& \left(x[0] v'[\sqrt{x[0]^2 + y[0]^2 + z[0]^2}] \alpha \theta^{(0,1)}[t, x[0]] \right) / \left(\sqrt{x[0]^2 + y[0]^2 + z[0]^2} \right) + \\
& 2m y[1] (x[1] \alpha y^{(0,1)}[t, x[0]] + \alpha y^{(1,0)}[t, x[0]]) + \\
& 2m z[1] (x[1] \alpha z^{(0,1)}[t, x[0]] + \alpha z^{(1,0)}[t, x[0]]) + \\
& m x[1] \alpha \theta^{(1,1)}[t, x[0]] + \\
& m x[1] (x[1] \alpha \theta^{(0,2)}[t, x[0]] + \alpha \theta^{(1,1)}[t, x[0]]) + \\
& m \alpha \theta^{(2,0)}[t, x[0]] + y[0] \\
& \left(- \left(x[0] v'[\sqrt{x[0]^2 + y[0]^2 + z[0]^2}] \alpha y^{(0,1)}[t, x[0]] \right) / \left(\sqrt{x[0]^2 + y[0]^2 + z[0]^2} \right) \right) + \\
& m (x[1]^2 \alpha y^{(0,2)}[t, x[0]] + 2x[1] \alpha y^{(1,1)}[t, x[0]] + \alpha y^{(2,0)}[t, x[0]]) + z[0] \\
& \left(- \left(x[0] v'[\sqrt{x[0]^2 + y[0]^2 + z[0]^2}] \alpha z^{(0,1)}[t, x[0]] \right) / \left(\sqrt{x[0]^2 + y[0]^2 + z[0]^2} \right) \right) + \\
& m (x[1]^2 \alpha z^{(0,2)}[t, x[0]] + 2x[1] \alpha z^{(1,1)}[t, x[0]] + \alpha z^{(2,0)}[t, x[0]]), \\
& - \left(\left(x[0] \beta x[t, y[0]] v'[\sqrt{x[0]^2 + y[0]^2 + z[0]^2}] \right) / \left(\sqrt{x[0]^2 + y[0]^2 + z[0]^2} \right) \right) - \\
& \left(z[0] \beta z[t, y[0]] v'[\sqrt{x[0]^2 + y[0]^2 + z[0]^2}] \right) / \left(\sqrt{x[0]^2 + y[0]^2 + z[0]^2} \right) + \\
& \frac{1}{\sqrt{x[0]^2 + y[0]^2 + z[0]^2}} \\
& 2y[0] v'[\sqrt{x[0]^2 + y[0]^2 + z[0]^2}] (x[1] \delta x[t] + y[1] \delta y[t] + z[1] \delta z[t] + \\
& \delta \theta'[t] + x[0] \delta x'[t] + y[0] \delta y'[t] + z[0] \delta z'[t]) + \frac{1}{(x[0]^2 + y[0]^2 + z[0]^2)^{3/2}} \\
& x[0] y[0] (\alpha \theta[t, x[0]] + y[0] \alpha y[t, x[0]] + z[0] \alpha z[t, x[0]]) \\
& \left(-v'[\sqrt{x[0]^2 + y[0]^2 + z[0]^2}] + \sqrt{x[0]^2 + y[0]^2 + z[0]^2} v''[\sqrt{x[0]^2 + y[0]^2 + z[0]^2}] \right) + \\
& \frac{1}{(x[0]^2 + y[0]^2 + z[0]^2)^{3/2}} y[0] z[0] \\
& (\gamma \theta[t, z[0]] + x[0] \gamma x[t, z[0]] + y[0] \gamma y[t, z[0]]) \\
& \left(-v'[\sqrt{x[0]^2 + y[0]^2 + z[0]^2}] + \sqrt{x[0]^2 + y[0]^2 + z[0]^2} v''[\sqrt{x[0]^2 + y[0]^2 + z[0]^2}] \right) + \\
& \frac{1}{(x[0]^2 + y[0]^2 + z[0]^2)^{3/2}} (\beta \theta[t, y[0]] + x[0] \beta x[t, y[0]] + z[0] \beta z[t, y[0]]) \\
& \left((x[0]^2 + z[0]^2) v'[\sqrt{x[0]^2 + y[0]^2 + z[0]^2}] + \right. \\
& \left. y[0]^2 \sqrt{x[0]^2 + y[0]^2 + z[0]^2} v''[\sqrt{x[0]^2 + y[0]^2 + z[0]^2}] \right) +
\end{aligned}$$

$$\begin{aligned}
& y[1] \left(\left(x[0] \delta x[t] v'[\sqrt{x[0]^2 + y[0]^2 + z[0]^2}] \right) / \left(\sqrt{x[0]^2 + y[0]^2 + z[0]^2} \right) + \right. \\
& \quad \left(y[0] \delta y[t] v'[\sqrt{x[0]^2 + y[0]^2 + z[0]^2}] \right) / \left(\sqrt{x[0]^2 + y[0]^2 + z[0]^2} \right) + \\
& \quad \left(z[0] \delta z[t] v'[\sqrt{x[0]^2 + y[0]^2 + z[0]^2}] \right) / \left(\sqrt{x[0]^2 + y[0]^2 + z[0]^2} \right) - \\
& \quad 2m x[1] \delta x'[t] - 2m y[1] \delta y'[t] - 2m z[1] \delta z'[t] - \\
& \quad m \delta \theta''[t] - m x[0] \delta x''[t] - m y[0] \delta y''[t] - m z[0] \delta z''[t] \Big) - \\
& \quad \left(y[0] v'[\sqrt{x[0]^2 + y[0]^2 + z[0]^2}] \beta \theta^{(0,1)}[t, y[0]] \right) / \left(\sqrt{x[0]^2 + y[0]^2 + z[0]^2} \right) + \\
& 2m x[1] (y[1] \beta x^{(0,1)}[t, y[0]] + \beta x^{(1,0)}[t, y[0]]) + \\
& 2m z[1] (y[1] \beta z^{(0,1)}[t, y[0]] + \beta z^{(1,0)}[t, y[0]]) + \\
& m y[1] \beta \theta^{(1,1)}[t, y[0]] + \\
& m y[1] (y[1] \beta \theta^{(0,2)}[t, y[0]] + \beta \theta^{(1,1)}[t, y[0]]) + \\
& m \beta \theta^{(2,0)}[t, y[0]] + x[0] \\
& \quad \left(- \left(y[0] v'[\sqrt{x[0]^2 + y[0]^2 + z[0]^2}] \beta x^{(0,1)}[t, y[0]] \right) / \left(\sqrt{x[0]^2 + y[0]^2 + z[0]^2} \right) \right) + \\
& \quad m (y[1]^2 \beta x^{(0,2)}[t, y[0]] + 2y[1] \beta x^{(1,1)}[t, y[0]] + \beta x^{(2,0)}[t, y[0]]) + z[0] \\
& \quad \left(- \left(y[0] v'[\sqrt{x[0]^2 + y[0]^2 + z[0]^2}] \beta z^{(0,1)}[t, y[0]] \right) / \left(\sqrt{x[0]^2 + y[0]^2 + z[0]^2} \right) \right) + \\
& \quad m (y[1]^2 \beta z^{(0,2)}[t, y[0]] + 2y[1] \beta z^{(1,1)}[t, y[0]] + \beta z^{(2,0)}[t, y[0]]) \Big), \\
& - \left(\left(x[0] \gamma x[t, z[0]] v'[\sqrt{x[0]^2 + y[0]^2 + z[0]^2}] \right) / \left(\sqrt{x[0]^2 + y[0]^2 + z[0]^2} \right) \right) - \\
& \quad \left(y[0] \gamma y[t, z[0]] v'[\sqrt{x[0]^2 + y[0]^2 + z[0]^2}] \right) / \left(\sqrt{x[0]^2 + y[0]^2 + z[0]^2} \right) + \\
& \quad \frac{1}{\sqrt{x[0]^2 + y[0]^2 + z[0]^2}} \\
& \quad 2z[0] v'[\sqrt{x[0]^2 + y[0]^2 + z[0]^2}] (x[1] \delta x[t] + y[1] \delta y[t] + z[1] \delta z[t] + \\
& \quad \delta \theta'[t] + x[0] \delta x'[t] + y[0] \delta y'[t] + z[0] \delta z'[t]) + \frac{1}{(x[0]^2 + y[0]^2 + z[0]^2)^{3/2}} \\
& \quad x[0] z[0] (\alpha \theta[t, x[0]] + y[0] \alpha y[t, x[0]] + z[0] \alpha z[t, x[0]]) \\
& \quad \left(-v'[\sqrt{x[0]^2 + y[0]^2 + z[0]^2}] + \sqrt{x[0]^2 + y[0]^2 + z[0]^2} v''[\sqrt{x[0]^2 + y[0]^2 + z[0]^2}] \right) + \\
& \quad \frac{1}{(x[0]^2 + y[0]^2 + z[0]^2)^{3/2}} y[0] z[0] \\
& \quad (\beta \theta[t, y[0]] + x[0] \beta x[t, y[0]] + z[0] \beta z[t, y[0]]) \\
& \quad \left(-v'[\sqrt{x[0]^2 + y[0]^2 + z[0]^2}] + \sqrt{x[0]^2 + y[0]^2 + z[0]^2} v''[\sqrt{x[0]^2 + y[0]^2 + z[0]^2}] \right) + \\
& \quad \frac{1}{(x[0]^2 + y[0]^2 + z[0]^2)^{3/2}} (\gamma \theta[t, z[0]] + x[0] \gamma x[t, z[0]] + y[0] \gamma y[t, z[0]]) \\
& \quad \left((x[0]^2 + y[0]^2) v'[\sqrt{x[0]^2 + y[0]^2 + z[0]^2}] + \right. \\
& \quad \left. z[0]^2 \sqrt{x[0]^2 + y[0]^2 + z[0]^2} v''[\sqrt{x[0]^2 + y[0]^2 + z[0]^2}] \right) + \\
& z[1] \left(\left(x[0] \delta x[t] v'[\sqrt{x[0]^2 + y[0]^2 + z[0]^2}] \right) / \left(\sqrt{x[0]^2 + y[0]^2 + z[0]^2} \right) + \right.
\end{aligned}$$

$$\begin{aligned}
& \left(y[0] \delta y[t] v'[\sqrt{x[0]^2 + y[0]^2 + z[0]^2}] \right) / \left(\sqrt{x[0]^2 + y[0]^2 + z[0]^2} \right) + \\
& \left(z[0] \delta z[t] v'[\sqrt{x[0]^2 + y[0]^2 + z[0]^2}] \right) / \left(\sqrt{x[0]^2 + y[0]^2 + z[0]^2} \right) - \\
& 2 m x[1] \delta x'[t] - 2 m y[1] \delta y'[t] - 2 m z[1] \delta z'[t] - \\
& m \delta \theta''[t] - m x[0] \delta x''[t] - m y[0] \delta y''[t] - m z[0] \delta z''[t] \Big) - \\
& \left(z[0] v'[\sqrt{x[0]^2 + y[0]^2 + z[0]^2}] \gamma \theta^{(0,1)}[t, z[0]] \right) / \left(\sqrt{x[0]^2 + y[0]^2 + z[0]^2} \right) + \\
& 2 m x[1] (z[1] \gamma x^{(0,1)}[t, z[0]] + \gamma x^{(1,0)}[t, z[0]]) + \\
& 2 m y[1] (z[1] \gamma y^{(0,1)}[t, z[0]] + \gamma y^{(1,0)}[t, z[0]]) + \\
& m z[1] \gamma \theta^{(1,1)}[t, z[0]] + \\
& m z[1] (z[1] \gamma \theta^{(0,2)}[t, z[0]] + \gamma \theta^{(1,1)}[t, z[0]]) + \\
& m \gamma \theta^{(2,0)}[t, z[0]] + x[0] \\
& \left(- \left(z[0] v'[\sqrt{x[0]^2 + y[0]^2 + z[0]^2}] \gamma x^{(0,1)}[t, z[0]] \right) / \left(\sqrt{x[0]^2 + y[0]^2 + z[0]^2} \right) \right) + \\
& m (z[1]^2 \gamma x^{(0,2)}[t, z[0]] + 2 z[1] \gamma x^{(1,1)}[t, z[0]] + \gamma x^{(2,0)}[t, z[0]]) + y[0] \\
& \left(- \left(z[0] v'[\sqrt{x[0]^2 + y[0]^2 + z[0]^2}] \gamma y^{(0,1)}[t, z[0]] \right) / \left(\sqrt{x[0]^2 + y[0]^2 + z[0]^2} \right) \right) + \\
& m (z[1]^2 \gamma y^{(0,2)}[t, z[0]] + 2 z[1] \gamma y^{(1,1)}[t, z[0]] + \gamma y^{(2,0)}[t, z[0]]) \Big) \}
\end{aligned}$$

```
variables = Flatten[Table[Table[var[j], {j, 1, 2}], {var, DepVar}]]
Column[GetConditionsForPointSymmetries[zero, variables]] /.
```

$$\begin{aligned}
& \{\sqrt{x[0]^2 + y[0]^2 + z[0]^2} \rightarrow r, \\
& (x[0]^2 + y[0]^2 + z[0]^2)^{3/2} \rightarrow r^3, x[0]^2 + y[0]^2 + z[0]^2 \rightarrow r^2\}
\end{aligned}$$

```
{x[1], x[2], y[1], y[2], z[1], z[2]}
```

$$\begin{aligned}
& -2 m r^3 (\delta y'[t] - \alpha y^{(0,1)}[t, x[0]]) \\
& -2 m r^3 (\delta z'[t] - \alpha z^{(0,1)}[t, x[0]]) \\
& -2 m r^3 (\delta x'[t] - \beta x^{(0,1)}[t, y[0]]) \\
& -2 m r^3 (\delta z'[t] - \beta z^{(0,1)}[t, y[0]]) \\
& -2 m r^3 (\delta x'[t] - \gamma x^{(0,1)}[t, z[0]]) \\
& -2 m r^3 (\delta y'[t] - \gamma y^{(0,1)}[t, z[0]]) \\
& m r^3 (-2 \delta x'[t] + \alpha \theta^{(0,2)}[t, x[0]] + y[0] \alpha y^{(0,2)}[t, x[0]] + z[0] \alpha z^{(0,2)}[t, x[0]]) \\
& m r^3 (-2 \delta y'[t] + \beta \theta^{(0,2)}[t, y[0]] + x[0] \beta x^{(0,2)}[t, y[0]] + z[0] \beta z^{(0,2)}[t, y[0]]) \\
& m r^3 (-2 \delta z'[t] + \gamma \theta^{(0,2)}[t, z[0]] + x[0] \gamma x^{(0,2)}[t, z[0]] + y[0] \gamma y^{(0,2)}[t, z[0]]) \\
& 2 r^2 (x[0] \delta y[t] v'[r] + m r \alpha y^{(1,0)}[t, x[0]]) \\
& 2 r^2 (x[0] \delta z[t] v'[r] + m r \alpha z^{(1,0)}[t, x[0]]) \\
& 2 r^2 (y[0] \delta x[t] v'[r] + m r \beta x^{(1,0)}[t, y[0]]) \\
& 2 r^2 (y[0] \delta z[t] v'[r] + m r \beta z^{(1,0)}[t, y[0]]) \\
& 2 r^2 (z[0] \delta x[t] v'[r] + m r \gamma x^{(1,0)}[t, z[0]]) \\
& 2 r^2 (z[0] \delta y[t] v'[r] + m r \gamma y^{(1,0)}[t, z[0]]) \\
& r^2 (3 x[0] \delta x[t] v'[r] + y[0] \delta y[t] v'[r] + z[0] \delta z[t] v'[r] - \\
& m r \delta \theta''[t] - m r x[0] \delta x''[t] - m r y[0] \delta y''[t] - m r z[0] \delta z''[t] + \\
& 2 m r \alpha \theta^{(1,1)}[t, x[0]] + 2 m r y[0] \alpha y^{(1,1)}[t, x[0]] + 2 m r z[0] \alpha z^{(1,1)}[t, x[0]])
\end{aligned}$$

$$\begin{aligned}
& r^2 (x[0] \delta x[t] v'[r] + 3y[0] \delta y[t] v'[r] + z[0] \delta z[t] v'[r] - \\
& \quad m r \delta \theta''[t] - m r x[0] \delta x''[t] - m r y[0] \delta y''[t] - m r z[0] \delta z''[t] + \\
& \quad 2m r \beta \theta^{(1,1)}[t, y[0]] + 2m r x[0] \beta x^{(1,1)}[t, y[0]] + 2m r z[0] \beta z^{(1,1)}[t, y[0]]) \\
& r^2 (x[0] \delta x[t] v'[r] + y[0] \delta y[t] v'[r] + 3z[0] \delta z[t] v'[r] - \\
& \quad m r \delta \theta''[t] - m r x[0] \delta x''[t] - m r y[0] \delta y''[t] - m r z[0] \delta z''[t] + \\
& \quad 2m r \gamma \theta^{(1,1)}[t, z[0]] + 2m r x[0] \gamma x^{(1,1)}[t, z[0]] + 2m r y[0] \gamma y^{(1,1)}[t, z[0]]) \\
& y[0]^2 \alpha \theta[t, x[0]] v'[r] + z[0]^2 \alpha \theta[t, x[0]] v'[r] - x[0]^2 y[0] \alpha y[t, x[0]] v'[r] - \\
& \quad x[0]^2 z[0] \alpha z[t, x[0]] v'[r] - x[0] y[0] \beta \theta[t, y[0]] v'[r] - x[0]^2 y[0] \beta x[t, y[0]] v'[r] - \\
& \quad x[0] y[0] z[0] \beta z[t, y[0]] v'[r] - x[0] z[0] \gamma \theta[t, z[0]] v'[r] - \\
& \quad x[0]^2 z[0] \gamma x[t, z[0]] v'[r] - x[0] y[0] z[0] \gamma y[t, z[0]] v'[r] + 2x[0]^3 v'[r] \delta \theta'[t] + \\
& \quad 2x[0] y[0]^2 v'[r] \delta \theta'[t] + 2x[0] z[0]^2 v'[r] \delta \theta'[t] + 2x[0]^4 v'[r] \delta x'[t] + \\
& \quad 2x[0]^2 y[0]^2 v'[r] \delta x'[t] + 2x[0]^2 z[0]^2 v'[r] \delta x'[t] + 2x[0]^3 y[0] v'[r] \delta y'[t] + \\
& \quad 2x[0] y[0]^3 v'[r] \delta y'[t] + 2x[0] y[0] z[0]^2 v'[r] \delta y'[t] + 2x[0]^3 z[0] v'[r] \delta z'[t] + \\
& \quad 2x[0] y[0]^2 z[0] v'[r] \delta z'[t] + 2x[0] z[0]^3 v'[r] \delta z'[t] + r x[0]^2 \alpha \theta[t, x[0]] v''[r] + \\
& \quad r x[0]^2 y[0] \alpha y[t, x[0]] v''[r] + r x[0]^2 z[0] \alpha z[t, x[0]] v''[r] + \\
& \quad r x[0] y[0] \beta \theta[t, y[0]] v''[r] + r x[0]^2 y[0] \beta x[t, y[0]] v''[r] + \\
& \quad r x[0] y[0] z[0] \beta z[t, y[0]] v''[r] + r x[0] z[0] \gamma \theta[t, z[0]] v''[r] + \\
& \quad r x[0]^2 z[0] \gamma x[t, z[0]] v''[r] + r x[0] y[0] z[0] \gamma y[t, z[0]] v''[r] - \\
& \quad x[0]^3 v'[r] \alpha \theta^{(0,1)}[t, x[0]] - x[0] y[0]^2 v'[r] \alpha \theta^{(0,1)}[t, x[0]] - \\
& \quad x[0] z[0]^2 v'[r] \alpha \theta^{(0,1)}[t, x[0]] - x[0]^3 y[0] v'[r] \alpha y^{(0,1)}[t, x[0]] - \\
& \quad x[0] y[0]^3 v'[r] \alpha y^{(0,1)}[t, x[0]] - x[0] y[0] z[0]^2 v'[r] \alpha y^{(0,1)}[t, x[0]] - \\
& \quad x[0] z[0]^3 v'[r] \alpha z^{(0,1)}[t, x[0]] - x[0] y[0]^2 z[0] v'[r] \alpha z^{(0,1)}[t, x[0]] - \\
& \quad x[0] z[0]^3 v'[r] \alpha z^{(0,1)}[t, x[0]] + m r x[0]^2 \alpha \theta^{(2,0)}[t, x[0]] + m r y[0]^2 \alpha \theta^{(2,0)}[t, x[0]] + \\
& \quad m r z[0]^2 \alpha \theta^{(2,0)}[t, x[0]] + m r x[0]^2 y[0] \alpha y^{(2,0)}[t, x[0]] + m r y[0]^3 \alpha y^{(2,0)}[t, x[0]] + \\
& \quad m r y[0] z[0]^2 \alpha y^{(2,0)}[t, x[0]] + m r x[0]^2 z[0] \alpha z^{(2,0)}[t, x[0]] + \\
& \quad m r y[0]^2 z[0] \alpha z^{(2,0)}[t, x[0]] + m r z[0]^3 \alpha z^{(2,0)}[t, x[0]] \\
& - x[0] y[0] \alpha \theta[t, x[0]] v'[r] - x[0] y[0]^2 \alpha y[t, x[0]] v'[r] - \\
& \quad x[0] y[0] z[0] \alpha z[t, x[0]] v'[r] + x[0]^2 \beta \theta[t, y[0]] v'[r] + z[0]^2 \beta \theta[t, y[0]] v'[r] - \\
& \quad x[0] y[0]^2 \beta x[t, y[0]] v'[r] - y[0]^2 z[0] \beta z[t, y[0]] v'[r] - \\
& \quad y[0] z[0] \gamma \theta[t, z[0]] v'[r] - x[0] y[0] z[0] \gamma x[t, z[0]] v'[r] - \\
& \quad y[0]^2 z[0] \gamma y[t, z[0]] v'[r] + 2x[0]^2 y[0] v'[r] \delta \theta'[t] + 2y[0]^3 v'[r] \delta \theta'[t] + \\
& \quad 2y[0] z[0]^2 v'[r] \delta \theta'[t] + 2x[0]^3 y[0] v'[r] \delta x'[t] + 2x[0] y[0]^3 v'[r] \delta x'[t] + \\
& \quad 2x[0] y[0] z[0]^2 v'[r] \delta x'[t] + 2x[0]^2 y[0]^2 v'[r] \delta y'[t] + \\
& \quad 2y[0]^4 v'[r] \delta y'[t] + 2y[0]^2 z[0]^2 v'[r] \delta y'[t] + 2x[0]^2 y[0] z[0] v'[r] \delta z'[t] + \\
& \quad 2y[0]^3 z[0] v'[r] \delta z'[t] + 2y[0] z[0]^3 v'[r] \delta z'[t] + r x[0] y[0] \alpha \theta[t, x[0]] v''[r] + \\
& \quad r x[0] y[0]^2 \alpha y[t, x[0]] v''[r] + r x[0] y[0] z[0] \alpha z[t, x[0]] v''[r] + \\
& \quad r y[0]^2 \beta \theta[t, y[0]] v''[r] + r x[0] y[0]^2 \beta x[t, y[0]] v''[r] + \\
& \quad r y[0]^2 z[0] \beta z[t, y[0]] v''[r] + r y[0] z[0] \gamma \theta[t, z[0]] v''[r] + \\
& \quad r x[0] y[0] z[0] \gamma x[t, z[0]] v''[r] + r y[0]^2 z[0] \gamma y[t, z[0]] v''[r] - \\
& \quad x[0]^2 y[0] v'[r] \beta \theta^{(0,1)}[t, y[0]] - y[0]^3 v'[r] \beta \theta^{(0,1)}[t, y[0]] - \\
& \quad y[0] z[0]^2 v'[r] \beta \theta^{(0,1)}[t, y[0]] - x[0]^3 y[0] v'[r] \beta x^{(0,1)}[t, y[0]] - \\
& \quad x[0] y[0]^3 v'[r] \beta x^{(0,1)}[t, y[0]] - x[0] y[0] z[0]^2 v'[r] \beta x^{(0,1)}[t, y[0]] - \\
& \quad x[0]^2 y[0] z[0] v'[r] \beta z^{(0,1)}[t, y[0]] - y[0]^3 z[0] v'[r] \beta z^{(0,1)}[t, y[0]] - \\
& \quad y[0] z[0]^3 v'[r] \beta z^{(0,1)}[t, y[0]] + m r x[0]^2 \beta \theta^{(2,0)}[t, y[0]] + \\
& \quad m r y[0]^2 \beta \theta^{(2,0)}[t, y[0]] + m r z[0]^2 \beta \theta^{(2,0)}[t, y[0]] + m r x[0]^3 \beta x^{(2,0)}[t, y[0]] + \\
& \quad m r x[0] y[0]^2 \beta x^{(2,0)}[t, y[0]] + m r x[0] z[0]^2 \beta x^{(2,0)}[t, y[0]] + \\
& \quad m r x[0]^2 z[0] \beta z^{(2,0)}[t, y[0]] + m r y[0]^2 z[0] \beta z^{(2,0)}[t, y[0]] + m r z[0]^3 \beta z^{(2,0)}[t, y[0]]
\end{aligned}$$

$$\begin{aligned}
& -x[0] z[0] \alpha \theta[t, x[0]] v'[r] - x[0] y[0] z[0] \alpha y[t, x[0]] v'[r] - \\
& x[0] z[0]^2 \alpha z[t, x[0]] v'[r] - y[0] z[0] \beta \theta[t, y[0]] v'[r] - \\
& x[0] y[0] z[0] \beta x[t, y[0]] v'[r] - y[0] z[0]^2 \beta z[t, y[0]] v'[r] + \\
& x[0]^2 \gamma \theta[t, z[0]] v'[r] + y[0]^2 \gamma \theta[t, z[0]] v'[r] - x[0] z[0]^2 \gamma x[t, z[0]] v'[r] - \\
& y[0] z[0]^2 \gamma y[t, z[0]] v'[r] + 2 x[0]^2 z[0] v'[r] \delta \theta'[t] + 2 y[0]^2 z[0] v'[r] \delta \theta'[t] + \\
& 2 z[0]^3 v'[r] \delta \theta'[t] + 2 x[0]^3 z[0] v'[r] \delta x'[t] + 2 x[0] y[0]^2 z[0] v'[r] \delta x'[t] + \\
& 2 x[0] z[0]^3 v'[r] \delta x'[t] + 2 x[0]^2 y[0] z[0] v'[r] \delta y'[t] + \\
& 2 y[0]^3 z[0] v'[r] \delta y'[t] + 2 y[0] z[0]^3 v'[r] \delta y'[t] + 2 x[0]^2 z[0]^2 v'[r] \delta z'[t] + \\
& 2 y[0]^2 z[0]^2 v'[r] \delta z'[t] + 2 z[0]^4 v'[r] \delta z'[t] + r x[0] z[0] \alpha \theta[t, x[0]] v''[r] + \\
& r x[0] y[0] z[0] \alpha y[t, x[0]] v''[r] + r x[0] z[0]^2 \alpha z[t, x[0]] v''[r] + \\
& r y[0] z[0] \beta \theta[t, y[0]] v''[r] + r x[0] y[0] z[0] \beta x[t, y[0]] v''[r] + \\
& r y[0] z[0]^2 \beta z[t, y[0]] v''[r] + r z[0]^2 \gamma \theta[t, z[0]] v''[r] + \\
& r x[0] z[0]^2 \gamma x[t, z[0]] v''[r] + r y[0] z[0]^2 \gamma y[t, z[0]] v''[r] - \\
& x[0]^2 z[0] v'[r] \gamma \theta^{(0,1)}[t, z[0]] - y[0]^2 z[0] v'[r] \gamma \theta^{(0,1)}[t, z[0]] - \\
& z[0]^3 v'[r] \gamma \theta^{(0,1)}[t, z[0]] - x[0]^3 z[0] v'[r] \gamma x^{(0,1)}[t, z[0]] - \\
& x[0] y[0]^2 z[0] v'[r] \gamma x^{(0,1)}[t, z[0]] - x[0] z[0]^3 v'[r] \gamma x^{(0,1)}[t, z[0]] - \\
& x[0]^2 y[0] z[0] v'[r] \gamma y^{(0,1)}[t, z[0]] - y[0]^3 z[0] v'[r] \gamma y^{(0,1)}[t, z[0]] - \\
& y[0] z[0]^3 v'[r] \gamma y^{(0,1)}[t, z[0]] + m r x[0]^2 \gamma \theta^{(2,0)}[t, z[0]] + \\
& m r y[0]^2 \gamma \theta^{(2,0)}[t, z[0]] + m r z[0]^2 \gamma \theta^{(2,0)}[t, z[0]] + m r x[0]^3 \gamma x^{(2,0)}[t, z[0]] + \\
& m r x[0] y[0]^2 \gamma x^{(2,0)}[t, z[0]] + m r x[0] z[0]^2 \gamma x^{(2,0)}[t, z[0]] + \\
& m r x[0]^2 y[0] \gamma y^{(2,0)}[t, z[0]] + m r y[0]^3 \gamma y^{(2,0)}[t, z[0]] + m r y[0] z[0]^2 \gamma y^{(2,0)}[t, z[0]]
\end{aligned}$$

Third ansatz

$$\begin{aligned}
\alpha y[t, x[t]] &= \alpha y \theta[t] + \delta y'[t] x[t]; \\
\alpha z[t, x[t]] &= \alpha z \theta[t] + \delta z'[t] x[t]; \\
\beta x[t, y[t]] &= \beta x \theta[t] + \delta x'[t] y[t]; \\
\beta z[t, y[t]] &= \beta z \theta[t] + \delta z'[t] y[t]; \\
\gamma x[t, z[t]] &= \gamma x \theta[t] + \delta x'[t] z[t]; \\
\gamma y[t, z[t]] &= \gamma y \theta[t] + \delta y'[t] z[t]; \\
\alpha \theta[t, x[t]] &= \alpha \theta \theta[t] + \alpha \theta 1[t] x[t] + \delta x'[t] x[t]^2; \\
\beta \theta[t, y[t]] &= \beta \theta \theta[t] + \beta \theta 1[t] y[t] + \delta y'[t] y[t]^2; \\
\gamma \theta[t, z[t]] &= \gamma \theta \theta[t] + \gamma \theta 1[t] z[t] + \delta z'[t] z[t]^2; \\
\xi[t] &= \delta x[t] x[t] + \delta y[t] y[t] + \delta z[t] z[t] + \delta \theta[t]; \\
\eta[x] &= \alpha y[t, x[t]] y[t] + \alpha z[t, x[t]] z[t] + \alpha \theta[t, x[t]]; \\
\eta[y] &= \beta x[t, y[t]] x[t] + \beta z[t, y[t]] z[t] + \beta \theta[t, y[t]]; \\
\eta[z] &= \gamma x[t, z[t]] x[t] + \gamma y[t, z[t]] y[t] + \gamma \theta[t, z[t]]; \\
\text{zero} &= \text{CheckPointSymmetryOfDE}[PDEs, \text{subs}, \text{IndepVar}, \text{DepVar}, \xi, \eta]
\end{aligned}$$

$$\begin{aligned}
x[0] &= x[t] \\
x[1] &= x'[t] \\
x[2] &= x''[t] \\
y[0] &= y[t] \\
y[1] &= y'[t] \\
y[2] &= y''[t] \\
z[0] &= z[t] \\
z[1] &= z'[t] \\
z[2] &= z''[t]
\end{aligned}$$

$$\left\{ - \left(\left(x[0] \alpha \theta 1[t] v' \left[\sqrt{x[0]^2 + y[0]^2 + z[0]^2} \right] \right) / \left(\sqrt{x[0]^2 + y[0]^2 + z[0]^2} \right) \right) -$$

$$\begin{aligned}
& \left(y[0] \alpha y \theta[t] v'[\sqrt{x[0]^2 + y[0]^2 + z[0]^2}] \right) / \left(\sqrt{x[0]^2 + y[0]^2 + z[0]^2} \right) - \\
& \left(z[0] \alpha z \theta[t] v'[\sqrt{x[0]^2 + y[0]^2 + z[0]^2}] \right) / \left(\sqrt{x[0]^2 + y[0]^2 + z[0]^2} \right) + \\
& \left(3x[0] x[1] \delta x[t] v'[\sqrt{x[0]^2 + y[0]^2 + z[0]^2}] \right) / \left(\sqrt{x[0]^2 + y[0]^2 + z[0]^2} \right) + \\
& \left(x[1] y[0] \delta y[t] v'[\sqrt{x[0]^2 + y[0]^2 + z[0]^2}] \right) / \left(\sqrt{x[0]^2 + y[0]^2 + z[0]^2} \right) + \\
& \left(2x[0] y[1] \delta y[t] v'[\sqrt{x[0]^2 + y[0]^2 + z[0]^2}] \right) / \left(\sqrt{x[0]^2 + y[0]^2 + z[0]^2} \right) + \\
& \left(x[1] z[0] \delta z[t] v'[\sqrt{x[0]^2 + y[0]^2 + z[0]^2}] \right) / \left(\sqrt{x[0]^2 + y[0]^2 + z[0]^2} \right) + \\
& \left(2x[0] z[1] \delta z[t] v'[\sqrt{x[0]^2 + y[0]^2 + z[0]^2}] \right) / \left(\sqrt{x[0]^2 + y[0]^2 + z[0]^2} \right) + \\
& 2m x[1] \alpha \theta'[t] + 2m y[1] \alpha y \theta'[t] + 2m z[1] \alpha z \theta'[t] + \\
& \left(2x[0] v'[\sqrt{x[0]^2 + y[0]^2 + z[0]^2}] \delta \theta'[t] \right) / \left(\sqrt{x[0]^2 + y[0]^2 + z[0]^2} \right) + \\
& \frac{1}{(x[0]^2 + y[0]^2 + z[0]^2)^{3/2}} x[0] y[0] (\beta \theta \theta[t] + y[0] \beta \theta \theta[t] + x[0] \beta x \theta[t] + \\
& z[0] \beta z \theta[t] + x[0] y[0] \delta x'[t] + y[0]^2 \delta y'[t] + y[0] z[0] \delta z'[t]) \\
& \left(-v'[\sqrt{x[0]^2 + y[0]^2 + z[0]^2}] + \sqrt{x[0]^2 + y[0]^2 + z[0]^2} v''[\sqrt{x[0]^2 + y[0]^2 + z[0]^2}] \right) + \\
& \frac{1}{(x[0]^2 + y[0]^2 + z[0]^2)^{3/2}} x[0] z[0] (\gamma \theta \theta[t] + z[0] \gamma \theta \theta[t] + x[0] \gamma x \theta[t] + \\
& y[0] \gamma y \theta[t] + x[0] z[0] \delta x'[t] + y[0] z[0] \delta y'[t] + z[0]^2 \delta z'[t]) \\
& \left(-v'[\sqrt{x[0]^2 + y[0]^2 + z[0]^2}] + \sqrt{x[0]^2 + y[0]^2 + z[0]^2} v''[\sqrt{x[0]^2 + y[0]^2 + z[0]^2}] \right) + \\
& \frac{1}{(x[0]^2 + y[0]^2 + z[0]^2)^{3/2}} (\alpha \theta \theta[t] + x[0] \alpha \theta \theta[t] + y[0] \alpha y \theta[t] + \\
& z[0] \alpha z \theta[t] + x[0]^2 \delta x'[t] + x[0] y[0] \delta y'[t] + x[0] z[0] \delta z'[t]) \\
& \left((y[0]^2 + z[0]^2) v'[\sqrt{x[0]^2 + y[0]^2 + z[0]^2}] + \right. \\
& \left. x[0]^2 \sqrt{x[0]^2 + y[0]^2 + z[0]^2} v''[\sqrt{x[0]^2 + y[0]^2 + z[0]^2}] \right) + \\
& m \alpha \theta \theta''[t] + m x[0] \alpha \theta \theta''[t] + m y[0] \alpha y \theta \theta''[t] + m z[0] \alpha z \theta \theta''[t] - m x[1] \delta \theta \theta''[t] + \\
& 3m x[0] x[1] \delta x''[t] + m x[1] y[0] \delta y''[t] + 2m x[0] y[1] \delta y''[t] + \\
& m x[1] z[0] \delta z''[t] + 2m x[0] z[1] \delta z''[t] + m x[0]^2 \delta x^{(3)}[t] + \\
& m x[0] y[0] \delta y^{(3)}[t] + m x[0] z[0] \delta z^{(3)}[t], \\
& - \left((y[0] \beta \theta \theta[t] v'[\sqrt{x[0]^2 + y[0]^2 + z[0]^2}]) / \left(\sqrt{x[0]^2 + y[0]^2 + z[0]^2} \right) - \right. \\
& \left(x[0] \beta x \theta[t] v'[\sqrt{x[0]^2 + y[0]^2 + z[0]^2}] \right) / \left(\sqrt{x[0]^2 + y[0]^2 + z[0]^2} \right) - \\
& \left(z[0] \beta z \theta[t] v'[\sqrt{x[0]^2 + y[0]^2 + z[0]^2}] \right) / \left(\sqrt{x[0]^2 + y[0]^2 + z[0]^2} \right) + \\
& \left(2x[1] y[0] \delta x[t] v'[\sqrt{x[0]^2 + y[0]^2 + z[0]^2}] \right) / \left(\sqrt{x[0]^2 + y[0]^2 + z[0]^2} \right) + \\
& \left(x[0] y[1] \delta x[t] v'[\sqrt{x[0]^2 + y[0]^2 + z[0]^2}] \right) / \left(\sqrt{x[0]^2 + y[0]^2 + z[0]^2} \right) + \\
& \left(3y[0] y[1] \delta y[t] v'[\sqrt{x[0]^2 + y[0]^2 + z[0]^2}] \right) / \left(\sqrt{x[0]^2 + y[0]^2 + z[0]^2} \right) +
\end{aligned}$$

$$\begin{aligned}
& \left(y[1] z[0] \delta z[t] v'[\sqrt{x[0]^2 + y[0]^2 + z[0]^2}] \right) / \left(\sqrt{x[0]^2 + y[0]^2 + z[0]^2} \right) + \\
& \left(2 y[0] z[1] \delta z[t] v'[\sqrt{x[0]^2 + y[0]^2 + z[0]^2}] \right) / \left(\sqrt{x[0]^2 + y[0]^2 + z[0]^2} \right) + \\
& 2 m y[1] \beta \theta 1'[t] + 2 m x[1] \beta x \theta'[t] + 2 m z[1] \beta z \theta'[t] + \\
& \left(2 y[0] v'[\sqrt{x[0]^2 + y[0]^2 + z[0]^2}] \delta \theta'[t] \right) / \left(\sqrt{x[0]^2 + y[0]^2 + z[0]^2} \right) + \\
& \frac{1}{(x[0]^2 + y[0]^2 + z[0]^2)^{3/2}} x[0] y[0] (\alpha \theta 0[t] + x[0] \alpha \theta 1[t] + y[0] \alpha y \theta[t] + \\
& z[0] \alpha z \theta[t] + x[0]^2 \delta x'[t] + x[0] y[0] \delta y'[t] + x[0] z[0] \delta z'[t]) \\
& \left(-v'[\sqrt{x[0]^2 + y[0]^2 + z[0]^2}] + \sqrt{x[0]^2 + y[0]^2 + z[0]^2} v''[\sqrt{x[0]^2 + y[0]^2 + z[0]^2}] \right) + \\
& \frac{1}{(x[0]^2 + y[0]^2 + z[0]^2)^{3/2}} y[0] z[0] (\gamma \theta 0[t] + z[0] \gamma \theta 1[t] + x[0] \gamma x \theta[t] + \\
& y[0] \gamma y \theta[t] + x[0] z[0] \delta x'[t] + y[0] z[0] \delta y'[t] + z[0]^2 \delta z'[t]) \\
& \left(-v'[\sqrt{x[0]^2 + y[0]^2 + z[0]^2}] + \sqrt{x[0]^2 + y[0]^2 + z[0]^2} v''[\sqrt{x[0]^2 + y[0]^2 + z[0]^2}] \right) + \\
& \frac{1}{(x[0]^2 + y[0]^2 + z[0]^2)^{3/2}} (\beta \theta 0[t] + y[0] \beta \theta 1[t] + x[0] \beta x \theta[t] + \\
& z[0] \beta z \theta[t] + x[0] y[0] \delta x'[t] + y[0]^2 \delta y'[t] + y[0] z[0] \delta z'[t]) \\
& \left((x[0]^2 + z[0]^2) v'[\sqrt{x[0]^2 + y[0]^2 + z[0]^2}] + \right. \\
& \left. y[0]^2 \sqrt{x[0]^2 + y[0]^2 + z[0]^2} v''[\sqrt{x[0]^2 + y[0]^2 + z[0]^2}] \right) + \\
& m \beta \theta 0''[t] + m y[0] \beta \theta 1''[t] + m x[0] \beta x \theta''[t] + m z[0] \beta z \theta''[t] - m y[1] \delta \theta''[t] + \\
& 2 m x[1] y[0] \delta x''[t] + m x[0] y[1] \delta x''[t] + \\
& 3 m y[0] y[1] \delta y''[t] + m y[1] z[0] \delta z''[t] + 2 m y[0] z[1] \delta z''[t] + \\
& m x[0] y[0] \delta x^{(3)}[t] + m y[0]^2 \delta y^{(3)}[t] + m y[0] z[0] \delta z^{(3)}[t], \\
& - \left((z[0] \gamma \theta 1[t] v'[\sqrt{x[0]^2 + y[0]^2 + z[0]^2}]) / \left(\sqrt{x[0]^2 + y[0]^2 + z[0]^2} \right) - \right. \\
& \left(x[0] \gamma x \theta[t] v'[\sqrt{x[0]^2 + y[0]^2 + z[0]^2}] \right) / \left(\sqrt{x[0]^2 + y[0]^2 + z[0]^2} \right) - \\
& \left(y[0] \gamma y \theta[t] v'[\sqrt{x[0]^2 + y[0]^2 + z[0]^2}] \right) / \left(\sqrt{x[0]^2 + y[0]^2 + z[0]^2} \right) + \\
& \left(2 x[1] z[0] \delta x[t] v'[\sqrt{x[0]^2 + y[0]^2 + z[0]^2}] \right) / \left(\sqrt{x[0]^2 + y[0]^2 + z[0]^2} \right) + \\
& \left(x[0] z[1] \delta x[t] v'[\sqrt{x[0]^2 + y[0]^2 + z[0]^2}] \right) / \left(\sqrt{x[0]^2 + y[0]^2 + z[0]^2} \right) + \\
& \left(2 y[1] z[0] \delta y[t] v'[\sqrt{x[0]^2 + y[0]^2 + z[0]^2}] \right) / \left(\sqrt{x[0]^2 + y[0]^2 + z[0]^2} \right) + \\
& \left(y[0] z[1] \delta y[t] v'[\sqrt{x[0]^2 + y[0]^2 + z[0]^2}] \right) / \left(\sqrt{x[0]^2 + y[0]^2 + z[0]^2} \right) + \\
& \left(3 z[0] z[1] \delta z[t] v'[\sqrt{x[0]^2 + y[0]^2 + z[0]^2}] \right) / \left(\sqrt{x[0]^2 + y[0]^2 + z[0]^2} \right) + \\
& 2 m z[1] \gamma \theta 1'[t] + 2 m x[1] \gamma x \theta'[t] + 2 m y[1] \gamma y \theta'[t] + \\
& \left(2 z[0] v'[\sqrt{x[0]^2 + y[0]^2 + z[0]^2}] \delta \theta'[t] \right) / \left(\sqrt{x[0]^2 + y[0]^2 + z[0]^2} \right) + \\
& \frac{1}{(x[0]^2 + y[0]^2 + z[0]^2)^{3/2}} x[0] z[0] (\alpha \theta 0[t] + x[0] \alpha \theta 1[t] + y[0] \alpha y \theta[t] + \\
& z[0] \alpha z \theta[t] + x[0]^2 \delta x'[t] + x[0] y[0] \delta y'[t] + x[0] z[0] \delta z'[t])
\end{aligned}$$

$$\begin{aligned}
& \left(-v' \left[\sqrt{x[0]^2 + y[0]^2 + z[0]^2} \right] + \sqrt{x[0]^2 + y[0]^2 + z[0]^2} v'' \left[\sqrt{x[0]^2 + y[0]^2 + z[0]^2} \right] \right) + \\
& \frac{1}{(x[0]^2 + y[0]^2 + z[0]^2)^{3/2}} y[0] z[0] (\beta 00[t] + y[0] \beta 01[t] + x[0] \beta x 0[t] + \\
& z[0] \beta z 0[t] + x[0] y[0] \delta x'[t] + y[0]^2 \delta y'[t] + y[0] z[0] \delta z'[t]) \\
& \left(-v' \left[\sqrt{x[0]^2 + y[0]^2 + z[0]^2} \right] + \sqrt{x[0]^2 + y[0]^2 + z[0]^2} v'' \left[\sqrt{x[0]^2 + y[0]^2 + z[0]^2} \right] \right) + \\
& \frac{1}{(x[0]^2 + y[0]^2 + z[0]^2)^{3/2}} (\gamma 00[t] + z[0] \gamma 01[t] + x[0] \gamma x 0[t] + \\
& y[0] \gamma y 0[t] + x[0] z[0] \delta x'[t] + y[0] z[0] \delta y'[t] + z[0]^2 \delta z'[t]) \\
& \left((x[0]^2 + y[0]^2) v' \left[\sqrt{x[0]^2 + y[0]^2 + z[0]^2} \right] + \right. \\
& \left. z[0]^2 \sqrt{x[0]^2 + y[0]^2 + z[0]^2} v'' \left[\sqrt{x[0]^2 + y[0]^2 + z[0]^2} \right] \right) + \\
& m \gamma 00''[t] + m z[0] \gamma 01''[t] + m x[0] \gamma x 0''[t] + m y[0] \gamma y 0''[t] - m z[1] \delta 0''[t] + \\
& 2 m x[1] z[0] \delta x''[t] + m x[0] z[1] \delta x''[t] + \\
& 2 m y[1] z[0] \delta y''[t] + m y[0] z[1] \delta y''[t] + 3 m z[0] z[1] \delta z''[t] + \\
& \left. m x[0] z[0] \delta x^{(3)}[t] + m y[0] z[0] \delta y^{(3)}[t] + m z[0]^2 \delta z^{(3)}[t] \right\}
\end{aligned}$$

```

variables = Flatten[Table[Table[var[j], {j, 0, 2}], {var, DepVar}]]
Column[GetConditionsForPointSymmetries[zero (x[0]^2 + y[0]^2 + z[0]^2)^{3/2}, variables]] /.
{Sqrt[x[0]^2 + y[0]^2 + z[0]^2] -> r,
(x[0]^2 + y[0]^2 + z[0]^2)^{3/2} -> r^3, x[0]^2 + y[0]^2 + z[0]^2 -> r^2}

{x[0], x[1], x[2], y[0], y[1], y[2], z[0], z[1], z[2]}

```

```

2 m r αyθ'[t]
2 m r αzθ'[t]
2 m r βxθ'[t]
2 m r βzθ'[t]
2 m r γxθ'[t]
2 m r γyθ'[t]
-αθθ[t] (v'[r] - r v''[r])
-βθθ[t] (v'[r] - r v''[r])
-(αyθ[t] + βxθ[t]) (v'[r] - r v''[r])
-γθθ[t] (v'[r] - r v''[r])
-(αzθ[t] + γxθ[t]) (v'[r] - r v''[r])
-(βzθ[t] + γyθ[t]) (v'[r] - r v''[r])
r (αθθ[t] v''[r] + m αθθ''[t])
αθθ[t] v'[r] + m r αθθ''[t]
-αθ1[t] v'[r] + 2 v'[r] δθ'[t] + r αθ1[t] v''[r] + m r αθ1''[t]
-βθ1[t] v'[r] + 2 v'[r] δθ'[t] + r βθ1[t] v''[r] + m r βθ1''[t]
-γθ1[t] v'[r] + 2 v'[r] δθ'[t] + r γθ1[t] v''[r] + m r γθ1''[t]
m r αyθ''[t]
-αyθ[t] v'[r] - βxθ[t] v'[r] + r αyθ[t] v''[r] + r βxθ[t] v''[r] + m r αyθ''[t]
m r αzθ''[t]
-αzθ[t] v'[r] - γxθ[t] v'[r] + r αzθ[t] v''[r] + r γxθ[t] v''[r] + m r αzθ''[t]
r (βθθ[t] v''[r] + m βθθ''[t])
βθθ[t] v'[r] + m r βθθ''[t]
-αθ1[t] v'[r] + 2 v'[r] δθ'[t] + r αθ1[t] v''[r] + m r βθ1''[t]
-βθ1[t] v'[r] + 2 v'[r] δθ'[t] + r βθ1[t] v''[r] + m r βθ1''[t]
-γθ1[t] v'[r] + 2 v'[r] δθ'[t] + r γθ1[t] v''[r] + m r βθ1''[t]
m r βxθ''[t]
-αyθ[t] v'[r] - βxθ[t] v'[r] + r αyθ[t] v''[r] + r βxθ[t] v''[r] + m r βxθ''[t]
m r βzθ''[t]
-βzθ[t] v'[r] - γyθ[t] v'[r] + r βzθ[t] v''[r] + r γyθ[t] v''[r] + m r βzθ''[t]
r (γθθ[t] v''[r] + m γθθ''[t])
γθθ[t] v'[r] + m r γθθ''[t]
-αθ1[t] v'[r] + 2 v'[r] δθ'[t] + r αθ1[t] v''[r] + m r γθ1''[t]
-βθ1[t] v'[r] + 2 v'[r] δθ'[t] + r βθ1[t] v''[r] + m r γθ1''[t]
-γθ1[t] v'[r] + 2 v'[r] δθ'[t] + r γθ1[t] v''[r] + m r γθ1''[t]
m r γxθ''[t]
-αzθ[t] v'[r] - γxθ[t] v'[r] + r αzθ[t] v''[r] + r γxθ[t] v''[r] + m r γxθ''[t]
m r γyθ''[t]
-βzθ[t] v'[r] - γyθ[t] v'[r] + r βzθ[t] v''[r] + r γyθ[t] v''[r] + m r γyθ''[t]
m r (2 αθ1'[t] - δθ''[t])
m r (2 βθ1'[t] - δθ''[t])
m r (2 γθ1'[t] - δθ''[t])
δx[t] v'[r] + m r δx''[t]
2 (δx[t] v'[r] + m r δx''[t])
3 (δx[t] v'[r] + m r δx''[t])
δy[t] v'[r] + m r δy''[t]
2 (δy[t] v'[r] + m r δy''[t])
3 (δy[t] v'[r] + m r δy''[t])
δz[t] v'[r] + m r δz''[t]
2 (δz[t] v'[r] + m r δz''[t])
3 (δz[t] v'[r] + m r δz''[t])
r (δx'[t] v''[r] + m δx^(3)[t])
r (δy'[t] v''[r] + m δy^(3)[t])
r (δz'[t] v''[r] + m δz^(3)[t])

```

Fourth ansatz

```
(* only for V(r) ≠ a r^2 + b *)
αy[t, x[t]] = c[1];
αz[t, x[t]] = -c[3];
βx[t, y[t]] = -c[1];
βz[t, y[t]] = c[2];
γx[t, z[t]] = c[3];
γy[t, z[t]] = -c[2];
αθ[t, x[t]] = αθ1[t] x[t];
βθ[t, y[t]] = βθ1[t] y[t];
γθ[t, z[t]] = γθ1[t] z[t];
ξ[t] = δθ[t];
η[x] = αy[t, x[t]] y[t] + αz[t, x[t]] z[t] + αθ[t, x[t]];
η[y] = βx[t, y[t]] x[t] + βz[t, y[t]] z[t] + βθ[t, y[t]];
η[z] = γx[t, z[t]] x[t] + γy[t, z[t]] y[t] + γθ[t, z[t]];
zero = CheckPointSymmetryOfDE[PDEs, subs, IndepVar, DepVar, ξ, η]
```

$$x[0] = x[t]$$

$$x[1] = x'[t]$$

$$x[2] = x''[t]$$

$$y[0] = y[t]$$

$$y[1] = y'[t]$$

$$y[2] = y''[t]$$

$$z[0] = z[t]$$

$$z[1] = z'[t]$$

$$z[2] = z''[t]$$

$$\begin{aligned}
& \left\{ - \left(\left(x[\theta] z[\theta]^2 \gamma_{01}[t] v' \left[\sqrt{x[\theta]^2 + y[\theta]^2 + z[\theta]^2} \right] \right) \middle/ (x[\theta]^2 + y[\theta]^2 + z[\theta]^2)^{3/2} \right) + 2m x[1] \right. \\
& \quad \alpha_{01}'[t] + \left(2x[\theta] v' \left[\sqrt{x[\theta]^2 + y[\theta]^2 + z[\theta]^2} \right] \delta_{0'}[t] \right) \middle/ \left(\sqrt{x[\theta]^2 + y[\theta]^2 + z[\theta]^2} \right) + \\
& \quad \left(x[\theta] z[\theta]^2 \gamma_{01}[t] v'' \left[\sqrt{x[\theta]^2 + y[\theta]^2 + z[\theta]^2} \right] \right) \middle/ (x[\theta]^2 + y[\theta]^2 + z[\theta]^2) + \\
& \quad \left(x[\theta]^3 \alpha_{01}[t] \left(-v' \left[\sqrt{x[\theta]^2 + y[\theta]^2 + z[\theta]^2} \right] \right. \right. + \\
& \quad \left. \left. \sqrt{x[\theta]^2 + y[\theta]^2 + z[\theta]^2} v'' \left[\sqrt{x[\theta]^2 + y[\theta]^2 + z[\theta]^2} \right] \right) \right) \middle/ \\
& \quad (x[\theta]^2 + y[\theta]^2 + z[\theta]^2)^{3/2} + \left(x[\theta] y[\theta]^2 \beta_{01}[t] \left(-v' \left[\sqrt{x[\theta]^2 + y[\theta]^2 + z[\theta]^2} \right] \right. \right. + \\
& \quad \left. \left. \sqrt{x[\theta]^2 + y[\theta]^2 + z[\theta]^2} v'' \left[\sqrt{x[\theta]^2 + y[\theta]^2 + z[\theta]^2} \right] \right) \right) \middle/ \\
& \quad (x[\theta]^2 + y[\theta]^2 + z[\theta]^2)^{3/2} + m x[\theta] \alpha_{01}''[t] - m x[1] \delta_{0''}[t], \\
& - \left(\left(y[\theta] z[\theta]^2 \gamma_{01}[t] v' \left[\sqrt{x[\theta]^2 + y[\theta]^2 + z[\theta]^2} \right] \right) \middle/ (x[\theta]^2 + y[\theta]^2 + z[\theta]^2)^{3/2} \right) + \\
& \quad 2m y[1] \beta_{01}'[t] + \\
& \quad \left(2y[\theta] v' \left[\sqrt{x[\theta]^2 + y[\theta]^2 + z[\theta]^2} \right] \delta_{0'}[t] \right) \middle/ \left(\sqrt{x[\theta]^2 + y[\theta]^2 + z[\theta]^2} \right) + \\
& \quad \left(y[\theta] z[\theta]^2 \gamma_{01}[t] v'' \left[\sqrt{x[\theta]^2 + y[\theta]^2 + z[\theta]^2} \right] \right) \middle/ (x[\theta]^2 + y[\theta]^2 + z[\theta]^2) + \\
& \quad \left(x[\theta]^2 y[\theta] \alpha_{01}[t] \left(-v' \left[\sqrt{x[\theta]^2 + y[\theta]^2 + z[\theta]^2} \right] \right. \right. + \\
& \quad \left. \left. \sqrt{x[\theta]^2 + y[\theta]^2 + z[\theta]^2} v'' \left[\sqrt{x[\theta]^2 + y[\theta]^2 + z[\theta]^2} \right] \right) \right) \middle/ \\
& \quad (x[\theta]^2 + y[\theta]^2 + z[\theta]^2)^{3/2} + \left(y[\theta]^3 \beta_{01}[t] \left(-v' \left[\sqrt{x[\theta]^2 + y[\theta]^2 + z[\theta]^2} \right] \right. \right. + \\
& \quad \left. \left. \sqrt{x[\theta]^2 + y[\theta]^2 + z[\theta]^2} v'' \left[\sqrt{x[\theta]^2 + y[\theta]^2 + z[\theta]^2} \right] \right) \right) \middle/ \\
& \quad (x[\theta]^2 + y[\theta]^2 + z[\theta]^2)^{3/2} + m y[\theta] \beta_{01}''[t] - m y[1] \delta_{0''}[t], \\
& - \left(\left(z[\theta]^3 \gamma_{01}[t] v' \left[\sqrt{x[\theta]^2 + y[\theta]^2 + z[\theta]^2} \right] \right) \middle/ (x[\theta]^2 + y[\theta]^2 + z[\theta]^2)^{3/2} \right) + \\
& \quad 2m z[1] \gamma_{01}'[t] + \\
& \quad \left(2z[\theta] v' \left[\sqrt{x[\theta]^2 + y[\theta]^2 + z[\theta]^2} \right] \delta_{0'}[t] \right) \middle/ \left(\sqrt{x[\theta]^2 + y[\theta]^2 + z[\theta]^2} \right) + \\
& \quad \left(z[\theta]^3 \gamma_{01}[t] v'' \left[\sqrt{x[\theta]^2 + y[\theta]^2 + z[\theta]^2} \right] \right) \middle/ (x[\theta]^2 + y[\theta]^2 + z[\theta]^2) + \\
& \quad \left(x[\theta]^2 z[\theta] \alpha_{01}[t] \left(-v' \left[\sqrt{x[\theta]^2 + y[\theta]^2 + z[\theta]^2} \right] \right. \right. + \\
& \quad \left. \left. \sqrt{x[\theta]^2 + y[\theta]^2 + z[\theta]^2} v'' \left[\sqrt{x[\theta]^2 + y[\theta]^2 + z[\theta]^2} \right] \right) \right) \middle/ \\
& \quad (x[\theta]^2 + y[\theta]^2 + z[\theta]^2)^{3/2} + \left(y[\theta]^2 z[\theta] \beta_{01}[t] \left(-v' \left[\sqrt{x[\theta]^2 + y[\theta]^2 + z[\theta]^2} \right] \right. \right. + \\
& \quad \left. \left. \sqrt{x[\theta]^2 + y[\theta]^2 + z[\theta]^2} v'' \left[\sqrt{x[\theta]^2 + y[\theta]^2 + z[\theta]^2} \right] \right) \right) \middle/ \\
& \quad (x[\theta]^2 + y[\theta]^2 + z[\theta]^2)^{3/2} + m z[\theta] \gamma_{01}''[t] - m z[1] \delta_{0''}[t] \}
\end{aligned}$$

```

variables = Flatten[Table[Table[var[j], {j, 0, 2}], {var, DepVar}]];
Column[GetConditionsForPointSymmetries[zero  $(x[0]^2 + y[0]^2 + z[0]^2)^{3/2}$ , variables]] /.
{ $\sqrt{x[0]^2 + y[0]^2 + z[0]^2} \rightarrow r$ ,
 $(x[0]^2 + y[0]^2 + z[0]^2)^{3/2} \rightarrow r^3$ ,  $x[0]^2 + y[0]^2 + z[0]^2 \rightarrow r^2$ }

{x[0], x[1], x[2], y[0], y[1], y[2], z[0], z[1], z[2]}

- $\alpha_{01}[t] v'[r] + 2 v'[r] \delta_{0'}[t] + r \alpha_{01}[t] v''[r] + m r \alpha_{01}''[t]$ 
- $\beta_{01}[t] v'[r] + 2 v'[r] \delta_{0'}[t] + r \beta_{01}[t] v''[r] + m r \alpha_{01}''[t]$ 
- $\gamma_{01}[t] v'[r] + 2 v'[r] \delta_{0'}[t] + r \gamma_{01}[t] v''[r] + m r \alpha_{01}''[t]$ 
- $\alpha_{01}[t] v'[r] + 2 v'[r] \delta_{0'}[t] + r \alpha_{01}[t] v''[r] + m r \beta_{01}''[t]$ 
- $\beta_{01}[t] v'[r] + 2 v'[r] \delta_{0'}[t] + r \beta_{01}[t] v''[r] + m r \beta_{01}''[t]$ 
- $\gamma_{01}[t] v'[r] + 2 v'[r] \delta_{0'}[t] + r \gamma_{01}[t] v''[r] + m r \beta_{01}''[t]$ 
- $\alpha_{01}[t] v'[r] + 2 v'[r] \delta_{0'}[t] + r \alpha_{01}[t] v''[r] + m r \gamma_{01}''[t]$ 
- $\beta_{01}[t] v'[r] + 2 v'[r] \delta_{0'}[t] + r \beta_{01}[t] v''[r] + m r \gamma_{01}''[t]$ 
- $\gamma_{01}[t] v'[r] + 2 v'[r] \delta_{0'}[t] + r \gamma_{01}[t] v''[r] + m r \gamma_{01}''[t]$ 
m r (2  $\alpha_{01}'[t] - \delta_{0''}[t]$ )
m r (2  $\beta_{01}'[t] - \delta_{0''}[t]$ )
m r (2  $\gamma_{01}'[t] - \delta_{0''}[t]$ )

```

Fifth ansatz

```

(* only for V(r) ≠ a r^2 + b *)
ay[t, x[t]] = c[1];
az[t, x[t]] = -c[3];
bx[t, y[t]] = -c[1];
bz[t, y[t]] = c[2];
yx[t, z[t]] = c[3];
yy[t, z[t]] = -c[2];
α0[t, x[t]] = ( $\delta_{02} t + \alpha_{00}$ ) x[t];
β0[t, y[t]] = ( $\delta_{02} t + \beta_{00}$ ) y[t];
γ0[t, z[t]] = ( $\delta_{02} t + \gamma_{00}$ ) z[t];
ξ[t] =  $\delta_{02} t^2 + \delta_{01} t + \delta_{00}$ ;
η[x] = ay[t, x[t]] y[t] + az[t, x[t]] z[t] + α0[t, x[t]];
η[y] = bx[t, y[t]] x[t] + bz[t, y[t]] z[t] + β0[t, y[t]];
η[z] = yx[t, z[t]] x[t] + yy[t, z[t]] y[t] + γ0[t, z[t]];
zero = CheckPointSymmetryOfDE[PDEs, subs, IndepVar, DepVar, ξ, η]

```

```

x[0] = x[t]
x[1] = x'[t]
x[2] = x''[t]
y[0] = y[t]
y[1] = y'[t]
y[2] = y''[t]
z[0] = z[t]
z[1] = z'[t]
z[2] = z''[t]

```

$$\left\{ \frac{1}{(x[0]^2 + y[0]^2 + z[0]^2)^{3/2}} \right.$$

$$x[0] \left((-\alpha 00 x[0]^2 + 3 t \delta 02 x[0]^2 - \beta 00 y[0]^2 + 3 t \delta 02 y[0]^2 - \gamma 00 z[0]^2 + \right.$$

$$\sqrt{x[0]^2 + y[0]^2 + z[0]^2} (\alpha 00 x[0]^2 + \beta 00 y[0]^2 + \gamma 00 z[0]^2 +$$

$$t \delta 02 (x[0]^2 + y[0]^2 + z[0]^2)) v''[\sqrt{x[0]^2 + y[0]^2 + z[0]^2}] +$$

$$\frac{1}{(x[0]^2 + y[0]^2 + z[0]^2)^{3/2}} y[0] \left((-\alpha 00 x[0]^2 + 3 t \delta 02 x[0]^2 - \beta 00 y[0]^2 + \right.$$

$$3 t \delta 02 y[0]^2 - \gamma 00 z[0]^2 + 3 t \delta 02 z[0]^2 + 2 \delta 01 (x[0]^2 + y[0]^2 + z[0]^2))$$

$$v'[\sqrt{x[0]^2 + y[0]^2 + z[0]^2}] + \sqrt{x[0]^2 + y[0]^2 + z[0]^2}$$

$$(\alpha 00 x[0]^2 + \beta 00 y[0]^2 + \gamma 00 z[0]^2 + t \delta 02 (x[0]^2 + y[0]^2 + z[0]^2))$$

$$v''[\sqrt{x[0]^2 + y[0]^2 + z[0]^2}] \right), \frac{1}{(x[0]^2 + y[0]^2 + z[0]^2)^{3/2}}$$

$$z[0] \left((-\alpha 00 x[0]^2 + 3 t \delta 02 x[0]^2 - \beta 00 y[0]^2 + 3 t \delta 02 y[0]^2 - \gamma 00 z[0]^2 + \right.$$

$$3 t \delta 02 z[0]^2 + 2 \delta 01 (x[0]^2 + y[0]^2 + z[0]^2)) v'[\sqrt{x[0]^2 + y[0]^2 + z[0]^2}] +$$

$$\sqrt{x[0]^2 + y[0]^2 + z[0]^2} (\alpha 00 x[0]^2 + \beta 00 y[0]^2 + \gamma 00 z[0]^2 +$$

$$t \delta 02 (x[0]^2 + y[0]^2 + z[0]^2)) v''[\sqrt{x[0]^2 + y[0]^2 + z[0]^2}] \right) \}$$

```

variables = Flatten[Table[Table[var[j], {j, 0, 2}], {var, DepVar}]];
AppendTo[variables, t]
Column[GetConditionsForPointSymmetries[zero (x[0]^2 + y[0]^2 + z[0]^2)^{3/2}, variables]] /.
{Sqrt[x[0]^2 + y[0]^2 + z[0]^2] → r,
(x[0]^2 + y[0]^2 + z[0]^2)^{3/2} → r^3, x[0]^2 + y[0]^2 + z[0]^2 → r^2}
{ x[0], x[1], x[2], y[0], y[1], y[2], z[0], z[1], z[2], t}

```

$$\delta 02 (3 v'[r] + r v''[r])$$

$$-\alpha 00 v'[r] + 2 \delta 01 v'[r] + r \alpha 00 v''[r]$$

$$-\beta 00 v'[r] + 2 \delta 01 v'[r] + r \beta 00 v''[r]$$

$$-\gamma 00 v'[r] + 2 \delta 01 v'[r] + r \gamma 00 v''[r]$$

The last ansatz

```

nc = 4;
 $\alpha y[t, x[t]] = c[1];$ 
 $\alpha z[t, x[t]] = -c[3];$ 
 $\beta x[t, y[t]] = -c[1];$ 
 $\beta z[t, y[t]] = c[2];$ 
 $\gamma x[t, z[t]] = c[3];$ 
 $\gamma y[t, z[t]] = -c[2];$ 
 $\alpha \theta[t, x[t]] = 0;$ 
 $\beta \theta[t, y[t]] = 0;$ 
 $\gamma \theta[t, z[t]] = 0;$ 
 $\xi[t] = c[4];$ 
 $\eta[x] = \alpha y[t, x[t]] y[t] + \alpha z[t, x[t]] z[t] + \alpha \theta[t, x[t]];$ 
 $\eta[y] = \beta x[t, y[t]] x[t] + \beta z[t, y[t]] z[t] + \beta \theta[t, y[t]];$ 
 $\eta[z] = \gamma x[t, z[t]] x[t] + \gamma y[t, z[t]] y[t] + \gamma \theta[t, z[t]];$ 
zero = CheckPointSymmetryOfDE[PDEs, subs, IndepVar, DepVar,  $\xi$ ,  $\eta$ ]

```

$x[0] = x[t]$

$x[1] = x'[t]$

$x[2] = x''[t]$

$y[0] = y[t]$

$y[1] = y'[t]$

$y[2] = y''[t]$

$z[0] = z[t]$

$z[1] = z'[t]$

$z[2] = z''[t]$

{0, 0, 0}

```

(* Coulomb ansatz *)
nc = 5;
 $\alpha y[t, x[t]] = c[1];$ 
 $\alpha z[t, x[t]] = -c[3];$ 
 $\beta x[t, y[t]] = -c[1];$ 
 $\beta z[t, y[t]] = c[2];$ 
 $\gamma x[t, z[t]] = c[3];$ 
 $\gamma y[t, z[t]] = -c[2];$ 
 $\alpha \theta[t, x[t]] = 2/3 c[5] x[t];$ 
 $\beta \theta[t, y[t]] = 2/3 c[5] y[t];$ 
 $\gamma \theta[t, z[t]] = 2/3 c[5] z[t];$ 
 $\xi[t] = c[4] + c[5] t;$ 
 $\eta[x] = \alpha y[t, x[t]] y[t] + \alpha z[t, x[t]] z[t] + \alpha \theta[t, x[t]];$ 
 $\eta[y] = \beta x[t, y[t]] x[t] + \beta z[t, y[t]] z[t] + \beta \theta[t, y[t]];$ 
 $\eta[z] = \gamma x[t, z[t]] x[t] + \gamma y[t, z[t]] y[t] + \gamma \theta[t, z[t]];$ 
zero = CheckPointSymmetryOfDE[PDEs, subs, IndepVar, DepVar,  $\xi$ ,  $\eta$ ]

```

```

x[0] = x[t]
x[1] = x'[t]
x[2] = x''[t]
y[0] = y[t]
y[1] = y'[t]
y[2] = y''[t]
z[0] = z[t]
z[1] = z'[t]
z[2] = z''[t]

```

$$\begin{aligned}
& \left\{ \frac{2}{3} c[5] x[0] \left(\frac{2 v' [\sqrt{x[0]^2 + y[0]^2 + z[0]^2}] }{\sqrt{x[0]^2 + y[0]^2 + z[0]^2}} + v'' [\sqrt{x[0]^2 + y[0]^2 + z[0]^2}] \right), \right. \\
& \frac{2}{3} c[5] y[0] \left(\frac{2 v' [\sqrt{x[0]^2 + y[0]^2 + z[0]^2}] }{\sqrt{x[0]^2 + y[0]^2 + z[0]^2}} + v'' [\sqrt{x[0]^2 + y[0]^2 + z[0]^2}] \right), \\
& \left. \frac{2}{3} c[5] z[0] \left(\frac{2 v' [\sqrt{x[0]^2 + y[0]^2 + z[0]^2}] }{\sqrt{x[0]^2 + y[0]^2 + z[0]^2}} + v'' [\sqrt{x[0]^2 + y[0]^2 + z[0]^2}] \right) \right\}
\end{aligned}$$

```

(* Z/r^2 ansatz *)
nc = 6;
ay[t, x[t]] = c[1];
az[t, x[t]] = -c[3];
bx[t, y[t]] = -c[1];
bz[t, y[t]] = c[2];
yx[t, z[t]] = c[3];
yy[t, z[t]] = -c[2];
a0[t, x[t]] = 1/2 c[5] x[t] + c[6] t x[t];
b0[t, y[t]] = 1/2 c[5] y[t] + c[6] t y[t];
y0[t, z[t]] = 1/2 c[5] z[t] + c[6] t z[t];
xi[t] = c[4] + c[5] t + c[6] t^2;
η[x] = ay[t, x[t]] y[t] + az[t, x[t]] z[t] + a0[t, x[t]];
η[y] = bx[t, y[t]] x[t] + bz[t, y[t]] z[t] + b0[t, y[t]];
η[z] = yx[t, z[t]] x[t] + yy[t, z[t]] y[t] + y0[t, z[t]];
zero = CheckPointSymmetryOfDE[PDEs, subs, IndepVar, DepVar, ξ, η]

```

$$\begin{aligned}
x[0] &= x[t] \\
x[1] &= x'[t] \\
x[2] &= x''[t] \\
y[0] &= y[t] \\
y[1] &= y'[t] \\
y[2] &= y''[t] \\
z[0] &= z[t] \\
z[1] &= z'[t] \\
z[2] &= z''[t]
\end{aligned}$$

$$\left\{ \left((c[5] + 2t c[6]) x[0] \left(3 v' [\sqrt{x[0]^2 + y[0]^2 + z[0]^2}] + \sqrt{x[0]^2 + y[0]^2 + z[0]^2} v'' [\sqrt{x[0]^2 + y[0]^2 + z[0]^2}] \right) \right) / \left(2 \sqrt{x[0]^2 + y[0]^2 + z[0]^2} \right), \right. \\
\left. \left((c[5] + 2t c[6]) y[0] \left(3 v' [\sqrt{x[0]^2 + y[0]^2 + z[0]^2}] + \sqrt{x[0]^2 + y[0]^2 + z[0]^2} v'' [\sqrt{x[0]^2 + y[0]^2 + z[0]^2}] \right) \right) / \left(2 \sqrt{x[0]^2 + y[0]^2 + z[0]^2} \right), \right. \\
\left. \left((c[5] + 2t c[6]) z[0] \left(3 v' [\sqrt{x[0]^2 + y[0]^2 + z[0]^2}] + \sqrt{x[0]^2 + y[0]^2 + z[0]^2} v'' [\sqrt{x[0]^2 + y[0]^2 + z[0]^2}] \right) \right) / \left(2 \sqrt{x[0]^2 + y[0]^2 + z[0]^2} \right) \right\}$$

■ Infinitesimal generators, point transformations and commutator table from the last ansatz

```
ShowPointSymmetriesAndCommutationRelations[X, f, ε, IndepVar, DepVar, ξ, η, c, nc, {}]
```

Infinitesimal operators:

$$\begin{aligned}
X[1]f[t, x, y, z] &= -x f^{(0,0,1,0)}[t, x, y, z] + y f^{(0,1,0,0)}[t, x, y, z] \\
X[2]f[t, x, y, z] &= -y f^{(0,0,0,1)}[t, x, y, z] + z f^{(0,0,1,0)}[t, x, y, z] \\
X[3]f[t, x, y, z] &= x f^{(0,0,0,1)}[t, x, y, z] - z f^{(0,1,0,0)}[t, x, y, z] \\
X[4]f[t, x, y, z] &= f^{(1,0,0,0)}[t, x, y, z]
\end{aligned}$$

Corresponding global transformations:

$$\begin{aligned}
X[1] \text{ gives } &\{t[\epsilon] \rightarrow t, x[\epsilon] \rightarrow x \cos[\epsilon] + y \sin[\epsilon], y[\epsilon] \rightarrow y \cos[\epsilon] - x \sin[\epsilon], z[\epsilon] \rightarrow z\} \\
X[2] \text{ gives } &\{t[\epsilon] \rightarrow t, x[\epsilon] \rightarrow x, y[\epsilon] \rightarrow y \cos[\epsilon] + z \sin[\epsilon], z[\epsilon] \rightarrow z \cos[\epsilon] - y \sin[\epsilon]\} \\
X[3] \text{ gives } &\{t[\epsilon] \rightarrow t, x[\epsilon] \rightarrow x \cos[\epsilon] - z \sin[\epsilon], z[\epsilon] \rightarrow z \cos[\epsilon] + x \sin[\epsilon], y[\epsilon] \rightarrow y\} \\
X[4] \text{ gives } &\{t[\epsilon] \rightarrow t + \epsilon, x[\epsilon] \rightarrow x, y[\epsilon] \rightarrow y, z[\epsilon] \rightarrow z\}
\end{aligned}$$

Commutator table:

	1	2	3	4
1	0	X[3]	-X[2]	0
2	-X[3]	0	X[1]	0
3	X[2]	-X[1]	0	0
4	0	0	0	0